Contents

The Journal of Clinical Investigation
January 1995, Volume 95, Number 1

Editorials

Glucagon-like peptide-1 (GLP-1): A piece of the incretin puzzle. *G. C. Weir* 1

Perspectives

A cholesterol deficiency syndrome in humans. *W. E. Connor* 2

Clinical implications of the stress response. *G. Minowada and W. J. Welch* 3

Regular Articles

The effect of oxytocin receptor blockade on parturition in guinea pigs. *J.-C. Schellenberg* 13

Physiologic, metabolic, and muscle fiber type characteristics of musculus uvulae in sleep apnea hypopnea syndrome and in snorers. *F. Sériès, C. Côté, J.-A. Simoneau, Y. Gélinas, S. St. Pierre, J. Leclerc, R. Ferland, and I. Marc* 20

Virus-induced airway hyperresponsiveness in guinea pigs is related to a deficiency in nitric oxide. *G. Folkerts, H. J. van der Linde, and F. P. Nijkamp* 26

Regulation of biliary lipid secretion by mdr2 P-glycoprotein in the mouse. *R. P. J. Oude Elferink, R. Ottenhoff, M. van Wijland, J. J. M. Smit, A. H. Schinkel, and A. K. Groen* 31

Chronic metabolic acidosis decreases albumin synthesis and induces negative nitrogen balance in humans. *P. E. Ballmer, M. A. McNurlan, H. N. Hulter, S. E. Anderson, P. J. Garlick, and R. Krapf* 39

Regulation of gene transcription of angiotensin II receptor subtypes in myocardial infarction. *Y. Nio, H. Matsubara, S. Murasawa, M. Kanasaki, and M. Inada* 46

A distinct array of proinflammatory cytokines is expressed in human colon epithelial cells in response to bacterial invasion. *H. C. Jung, L. Eckmann, S.-K. Yang, A. Panja, J. Fierer, E. Morzycka-Wroblewska, and M. F. Kagnoff* 55

Diminished expression of CD40 ligand by activated neonatal T cells. *S. Nonoyama, L. A. Penix, C. P. Edwards, D. B. Lewis, S. Ito, A. Aruffo, C. B. Wilson, and H. D. Ochs* 66

Reproducing abnormal cholesterol biosynthesis as seen in the Smith-Lemli-Opitz syndrome by inhibiting the conversion of 7-dehydrocholesterol to cholesterol in rats. *G. Xu, G. Salen, S. Shefer, G. C. Ness, T. S. Chen, Z. Zhao, and G. S. Tint* 76

Novel production of interleukin-1 receptor antagonist peptides in normal human cornea. *M. C. Kennedy, J. T. Rosenbaum, J. Brown, S. R. Planck, X. Huang, C. A. Armstrong, and J. C. Ansel* 82

Interleukin-8 gene induction in the myocardium after ischemia and reperfusion in vivo. *G. L. Kukielka, C. W. Smith, G. J. LaRosa, A. M. Manning, L. H. Mendoza, T. J. Daly, B. J. Hughes, K. A. Youker, H. K. Hawkins, L. H. Michael, A. Rot, and M. L. Entman* 89

Localization and functional characterization of rat kidney-specific chloride channel, CIC-K1. *S. Uchida, S. Sasaki, K. Nitta, K. Uchida, S. Horita, H. Nihei, and F. Marumo* 104

Targeted expression of transforming growth factor-β1 in intracardiac grafts promotes vascular endothelial cell DNA synthesis. *G. Y. Koh, S.-J. Kim, M. G. Klug, K. Park, M. H. Soonpaa, and L. J. Field* 114

Regulation of smooth muscle cell scavenger receptor expression in vivo by atherogenic diets and in vitro by cytokines. *H. Li, M. W. Freeman, and P. Libby* 122

Chemokine expression during hepatic ischemia/reperfusion-induced lung injury in the rat. The role of epithelial neutrophil activating protein. *L. M. Colletti, S. L. Kunkel, A. Walz, M. D. Burdick, R. G. Kunkel, C. A. Wilke, and R. M. Strieter* 134

Dual function of pneumolysin in the early pathogenesis of murine pneumococcal pneumonia. *J. B. Rubins, D. Charboneau, J. C. Paton, T. J. Mitchell, P. W. Andrew, and E. N. Janoff* 142

^{31}P-nuclear magnetic resonance studies of chronic myocardial ischemia in the Yucatan micropig. *D. P. Rath, M. Bailey, H. Zhang, Z. Jiang, A. M. Abduljalil, S. Weisbrode, R. L. Hamlin, and P.-M. L. Robitaille* . . 151

Interaction between free fatty acids and insulin in the acute control of very low density lipoprotein production in humans. *G. F. Lewis, K. D. Uffelman, L. W. Szeto, B. Weller, and G. Steiner* 158

Downregulation of calcitonin receptor mRNA expression by calcitonin during human osteoclast-like cell differentiation. *S. Takahashi, S. Goldring, M. Katz, S. Hilsenbeck, R. Williams, and G. D. Roodman* . . 167

Use of ^2H_2O for estimating rates of gluconeogenesis. Application to the fasted state. *B. R. Landau, J. Wahren, V. Chandramouli, W. C. Schumann, K. Ekberg, and S. C. Kalhan* 172

Intravenously injected insulin-like growth factor (IGF) I/IGF binding protein-3 complex exerts insulin-like effects in hypophysectomized, but not in normal rats. *J. Zapf, C. Hauri, E. Futo, M. Hussain, J. Rutishauser, C. A. Maack, and E. R. Froesch* 179

Evidence for enhanced vascular superoxide anion production in nitrate tolerance. A novel mechanism underlying tolerance and cross-tolerance. *T. Münzel, H. Sayegh, B. A. Freeman, M. M. Tarpey, and D. G. Harrison* 187

In vitro fluid secretion by epithelium from polycystic kidneys. *J. J. Grantham, M. Ye, V. H.. Gattone II, and L. P. Sullivan* 195

Regulation of G protein-coupled receptor kinase subtypes in activated T lymphocytes. Selective increase of β-adrenergic receptor kinase 1 and 2. *A. De Blasi, G. Parruti, and M. Sallese* 203

Granulocyte macrophage colony-stimulating factor contributes to enhanced monocyte survival in chronic atopic dermatitis. *D. L. Bratton, Q. Hamid, M. Boguniewicz, D. E. Doherty, J. M. Kailey, and D. Y. M. Leung* 211

De novo synthesis and secretion of a 36-kD protein by cells that form lupus inclusions in response to α-interferon. *S. A. Rich* 219

Shifts in the concentrations of magnesium and calcium in early porcine and rat wound fluids activate the cell migratory response. *J. J. Grzesiak and M. D. Pierschbacher* 227

Mutations in the glucose-6-phosphatase gene are associated with glycogen storage disease types 1a and 1aSP but not 1b and 1c. *K.-J. Lei, L. L. Shelly, B. Lin, J. B. Sidbury, Y.-T. Chen, R. C. Nordlie, and J. Y. Chou* 234

Autoregulatory circuits in myeloma. Tumor cell cytotoxicity mediated by soluble CD16. *R. G. Hoover, C. Lary, R. Page, P. Travis, R. Owens, J. Flick, J. Kornbluth, and B. Barlogie* 241

Cytotoxic and proliferative T cell responses in HIV-1-infected *Macaca nemestrina*. *S. J. Kent, L. Corey, M. B. Agy, W. R. Morton, M. J. McElrath, and P. D. Greenberg* 248

Mutations in human cytomegalovirus UL97 gene confer clinical resistance to ganciclovir and can be detected directly in patient plasma. *D. G. Wolf, I. L. Smith, D. J. Lee, W. R. Freeman, M. Flores-Aguilar, and S. A. Spector* 257

Regulation of vascular cell adhesion molecule-1 expression by IL-4 and TNF-α in cultured endothelial cells. *M. F. Iademarco, J. L. Barks, and D. C. Dean* 264

Glutamine: A major gluconeogenic precursor and vehicle for interorgan carbon transport in man. *N. Nurjhan, A. Bucci, G. Perriello, M. Stumvoll, G. Dailey, D. M. Bier, I. Toft, T. G. Jenssen, and J. E. Gerich* 272

Pathway of free fatty acid oxidation in human subjects. Implications for tracer studies. *L. S. Sidossis, A. R. Coggan, A. Gastaldelli, and R. R. Wolfe* 278

Endogenous adenosine mediates coronary vasodilation during exercise after K^+_{ATP} channel blockade. *D. J. Duncker, N. S. van Zon, T. J. Pavek, S. K. Herrlinger, and R. J. Bache* 285

Cellular and molecular basis of human γδ T cell activation. Role of accessory molecules in alloactivation. *M. Takamizawa, F. Fagnoni, A. Mehta-Damani, A. Rivas, and E. G. Engleman* 296

Differential regulation of renal phospholipase C isoforms by catecholamines. *P.-Y. Yu, L. D. Asico, G. M. Eisner, and P. A. Jose* . . . 304

On the role of phosphatidylethanolamine in the inhibition of activated protein C activity by antiphospholipid antibodies. *M. D. Smirnov, D. T. Triplett, P. C. Comp, N. L. Esmon, and C. T. Esmon* 309

Kinetics and regulation of human keratinocyte stem cell growth in short-term primary ex vivo culture. Cooperative growth factors from psoriatic lesional T lymphocytes stimulate proliferation among psoriatic uninvolved, but not normal, stem keratinocytes. *Z. Bata-Csorgo, C. Hammerberg, J. J. Voorhees, and K. D. Cooper* 317

Tat-independent replication of human immunodeficiency viruses. *L. Luznik, G. Kraus, J. Guatelli, D. Richman, and F. Wong-Staal* 328

Patients with congenital myasthenia associated with end-plate acetylcholinesterase deficiency show normal sequence, mRNA splicing, and assembly of catalytic subunits. *S. Camp, S. Bon, Y. Li, D. K. Getman, A. G. Engel, J. Massoulié, and P. Taylor* 333

Development of a lipopeptide-based therapeutic vaccine to treat chronic HBV infection. I. Induction of a primary cytotoxic T lymphocyte response in humans. *A. Vitiello, G. Ishioka, H. M. Grey, R. Rose, P. Farness, R. LaFond, L. Yuan, F. V. Chisari, J. Furze, R. Bartholomeuz, and R. W. Chestnut* 341

Crucial residues in the carboxy-terminal end of C1 inhibitor revealed by pathogenic mutants impaired in secretion or function. *E. Verpy, E. Couture-Tosi, E. Eldering, M. Lopez-Trascasa, P. Späth, T. Meo, and M. Tosi* 350

Role of nitric oxide in parasympathetic modulation of β-adrenergic myocardial contractility in normal dogs. *J. M. Hare, J. F. Keaney, Jr., J.-L. Balligand, J. Loscalzo, T. W. Smith, and W. S. Colucci* 360

Inhibition of cytoplasmic and organellar protein synthesis in *Toxoplasma gondii*. Implications for the target of macrolide antibiotics. *C. J. M. Beckers, D. S. Roos, R. G. K. Donald, B. J. Luft, J. C. Schwab, Y. Cao, and K. A. Joiner* 367

Fibroblast growth factor stimulates angiotensin converting enzyme expression in vascular smooth muscle cells. Possible mediator of the response to vascular injury. *R. S. Fishel, V. Thourani, S. J. Eisenberg, S. Y. Shai, M. A. Corson, E. G. Nabel, K. E. Bernstein, and B. C. Berk* . . 377

Late preconditioning against myocardial stunning. An endogenous protective mechanism that confers resistance to postischemic dysfunction 24 h after brief ischemia in conscious pigs. *J.-Z. Sun, X.-L. Tang, A. A. Knowlton, S.-W. Park, Y. Qiu, and R. Bolli* 388

Localization of heparin-binding EGF-like growth factor in the smooth muscle cells and macrophages of human atherosclerotic plaques. *J.-i. Miyagawa, S. Higashiyama, S. Kawata, Y. Inui, S. Tamura, K. Yamamoto, M. Nishida, T. Nakamura, S. Yamashita, Y. Matsuzawa, and N. Taniguchi* 404

Rapid Publications

Adenosine triphosphate-dependent copper transport in isolated rat liver plasma membranes. *M. Dijkstra, G. In 't Veld, G. J. van den Berg, M. Müller, F. Kuipers, and R. J. Vonk* 412

Glucagon-like peptide-1 is a physiological incretin in rat. *Z. Wang, R. M. Wang, A. A. Owji, D. M. Smith, M. A. Ghatei, and S. R. Bloom* . . 417

Quantification of aquaporin-CHIP water channel protein in microdissected renal tubules by fluorescence-based ELISA. *Y. Maeda, B. L. Smith, P. Agre, and M. A. Knepper* 422

Overexpression of Glut4 protein in muscle increases basal and insulin-stimulated whole body glucose disposal in conscious mice. *J.-M. Ren, B. A. Marshall, M. M. Mueckler, M. McCaleb, J. M. Amatruda, and G. I. Shulman* 429

January Author Index 433

Correction 435

Notice of duplicate publication 437

Contents

The Journal of Clinical Investigation
February 1995, Volume 95, Number 2

Editorials

Measuring intracerebral osmolytes in hyponatremic disorders. *I. Kurtz* . . 441

Genetic mosaicism: What Gregor Mendel didn't know. *R. Hirschhorn* . . 443

cGMP inhibition of heart phosphodiesterase: Is it clinically relevant? *J. A. Beavo* 445

Regular Articles

Specific inhibition of eIF-5A and collagen hydroxylation by a single agent. Antiproliferative and fibrosuppressive effects on smooth muscle cells from human coronary arteries. *T. A. McCaffrey, K. B. Pomerantz, T. A. Sanborn, A. M. Spokojny, B. Du, M.-H. Park, J. E. Folk, A. Lamberg, K. I. Kivirikko, D. J. Falcone, S. B. Mehta, and H. M. Hanauske-Abel* . . 446

The ability of synoviocytes to support terminal differentiation of activated B cells may explain plasma cell accumulation in rheumatoid synovium. *J. Dechanet, P. Merville, I. Durand, J. Banchereau, and P. Miossec* . . . 456

Extinction of autonomous growth potential in embryonic:adult vascular smooth muscle cell heterokaryons. *R. A. Majack* 464

Inhibition of diet-induced atheroma formation in transgenic mice expressing apolipoprotein E in the arterial wall. *H. Shimano, J. Ohsuga, M. Shimada, Y. Namba, T. Gotoda, K. Harada, M. Katsuki, Y. Yazaki, and N. Yamada* 469

Focal expression of interleukin-2 does not break unresponsiveness to "self" (viral) antigen expressed in β cells but enhances development of autoimmune disease (diabetes) after initiation of an anti-self immune response. *M. G. von Herrath, J. Allison, J. F. A. P. Miller, and M. B. A. Oldstone* 477

Sensitization to self (virus) antigen by in situ expression of murine interferon-γ. *M.-S. Lee, M. von Herrath, H. Reiser, M. B. A. Oldstone, and N. Sarvetnick* 486

Gene transfer into the airway epithelium of animals by targeting the polymeric immunoglobulin receptor. *T. Ferkol, J. C. Perales, E. Eckman, C. S. Kaetzel, R. W. Hanson, and P. B. Davis* 493

Two missense mutations in the β-globin gene can cause severe β thalassemia. Hemoglobin Medicine Lake (β32[B14]leucine→glutamine; 98 [FG5] valine→methionine). *M. B. Coleman, Z.-H. Lu, C. M. Smith II, J. G. Adams III, A. Harrell, M. Plonczynski, and M. H. Steinberg* 503

Signaling through CD40 rescues IgE but not IgG or IgA secretion in X-linked immunodeficiency with hyper-IgM. *O. Saiki, T. Tanaka, Y. Wada, H. Uda, A. Inoue, Y. Katada, M. Izeki, M. Iwata, H. Nunoi, I. Matsuda, N. Kinoshita, and T. Kishimoto* 510

Modulation of in vitro splicing of the upstream intron by modifying an intra-exon sequence which is deleted from the dystrophin gene in dystrophin Kobe. *Y. Takeshima, H. Nishio, H. Sakamoto, H. Nakamura, and M. Matsuo* 515

Cytotoxic T lymphocyte response to hepatitis C virus-derived peptides containing the HLA A2.1 binding motif. *A. Cerny, J. G. McHutchison, C. Pasquinelli, M. E. Brown, M. A. Brothers, B. Grabscheid, P. Fowler, M. Houghton, and F. V. Chisari* 521

Structure and specificity of T cell receptors expressed by potentially pathogenic anti-DNA autoantibody-inducing T cells in human lupus. *A. Desai-Mehta, C. Mao, S. Rajagopalan, T. Robinson, and S. K. Datta* . 531

Polyol profiles in Down syndrome. *myo*-Inositol, specifically, is elevated in the cerebrospinal fluid. *H. U. Shetty, M. B. Schapiro, H. W. Holloway, and S. I. Rapoport* 542

The cutaneous T cell lymphoma, mycosis fungoides, is a human T cell lymphotropic virus-associated disease. A study of 50 patients. *B. A. Pancake, D. Zucker-Franklin, and E. E. Coutavas* 547

Cellular and molecular events leading to mitochondrial toxicity of 1-(2-deoxy-2-fluoro-1-β-D-arabinofuranosyl)-5-iodouracil in human liver cells. *L. Cui, S. Yoon, R. F. Schinazi, and J.-P. Sommadossi* 555

Induction of B cell apoptosis by TH0, but not TH2, $CD4^+$ T cells. *X. He, W. Zhong, J. J. Goronzy, and C. M. Weyand* 564

Direct demonstration of increased expression of Thomsen-Friedenreich (TF) antigen in colonic andenocarcinoma and ulcerative colitis mucin and its concealment in normal mucin. *B. J. Campbell, I. A. Finnie, E. F. Hounsell, and J. M. Rhodes* 571

Regulation of high-affinity IgE receptor-mediated mast cell activation by murine low-affinity IgG receptors. *M. Daëron, O. Malbec, S. Latour, M. Arock, and W. H. Fridman* 577

Enhanced interleukin-8 release and gene expression in macrophages after exposure to *Mycobacterium tuberculosis* and its components. *Y. Zhang, M. Broser, H. Cohen, M. Bodkin, K. Law, J. Reibman, and W. N. Rom* . . 586

Evidence that the brain of the conscious dog is insulin sensitive. *S. N. Davis, C. Colburn, R. Dobbins, S. Nadeau, D. Neal, P. Williams, and A. D. Cherrington* 593

Bactericidal properties of murine intestinal phospholipase A_2. *S. S. L. Harwig, L. Tan, X.-D. Qu, Y. Cho, P. B. Eisenhauer, and R. I. Lehrer* 603

Effects of dietary cholesterol and fat saturation on plasma lipoproteins in an ethnically diverse population of healthy young men. *C. J. Fielding, R. J. Havel, K. M. Todd, K. E. Yeo, M. C. Schloetter, V. Weinberg, and P. H. Frost* 611

Insulin-like growth factor-1 enhances ventricular hypertrophy and function during the onset of experimental cardiac failure. *R. L. Duerr, S. Huang, H. R. Miraliakbar, R. Clark, K. R. Chien, and J. Ross, Jr.* . . . 619

Insulin immunization of nonobese diabetic mice induces a protective insulitis characterized by diminished intraislet interferon-γ transcription. *A. Muir, A. Peck, M. Clare-Salzler, Y.-H. Song, J. Cornelius, R. Luchetta, J. Krischer, and N. Maclaren* 628

Sialoadhesin binds preferentially to cells of the granulocytic lineage. *P. R. Crocker, S. Freeman, S. Gordon, and S. Kelm* 635

Anion secretion by the inner medullary collecting duct. Evidence for involvement of the cystic fibrosis transmembrane conductance regulator. *R. F. Husted, K. A. Volk, R. D. Sigmund, and J. B. Stokes* 644

The angiotensin AT2-receptor mediates inhibition of cell proliferation in coronary endothelial cells. *M. Stoll, U. M. Steckelings, M. Paul, S. P. Bottari, R. Metzger, and T. Unger* 651

Hemodynamic and neurohumoral effects of various grades of selective adenosine transport inhibition in humans. Implications for its future role in cardioprotection. *G. A. Rongen, P. Smits, K. Ver Donck, J. J. Willemsen, R. A. De Abreu, H. Van Belle, and T. Thien* 658

Nitric oxide mediates cytotoxicity and basic fibroblast growth factor release in cultured vascular smooth muscle cells. A possible mechanism of neovascularization in atherosclerotic plaques. *K. Fukuo, T. Inoue, S. Morimoto, T. Nakahashi, O. Yasuda, S. Kitano, R. Sasada, and T. Ogihara* 669

The lethal effects of cytokine-induced nitric oxide on cardiac myocytes are blocked by nitric oxide synthase antagonism or transforming growth factor β. *D. J. Pinsky, B. Cai, X. Yang, C. Rodriguez, R. R. Sciacca, and P. J. Cannon* 677

Novel pattern of P53 mutation in breast cancers from Austrian women. *A. Hartmann, G. Rosanelli, H. Blaszyk, J. M. Cunningham, R. M. McGovern, J. J. Schroeder, D. J. Schaid, J. S. Kovach, and S. S. Sommer* 686

Insulin secretion, insulin action, and hepatic glucose production inn identical twins discordant for non-insulin-dependent diabetes mellitus. *A. Vaag, J. E. Henriksen, S. Madsbad, N. Holm, and H. Beck-Nielsen* . . 690

A unique ectonucleotide pyrophosphohydrolase associated with porcine chondrocyte-derived vesicles. *I. Masuda, J.-i. Hamada, A. L. Haas, L. M. Ryan, and D. J. McCarty* 699

Fibrates downregulate apolipoprotein C-III expression independent of induction of peroxisomal acyl coenzyme A oxidase. A potential mechanism for the hypolipidemic action of fibrates. *B. Staels, N. Vu-Dac, V. A. Kosykh, R. Saladin, J.-C. Fruchart, J. Dallongeville, and J. Auwerx* 705

The adhesive and migratory effects of osteopontin are mediated via distinct cell surface integrins. Role of $\alpha_v\beta_3$ in smooth muscle cell migration to osteopontin in vitro. *L. Liaw, M. P. Skinner, E. W. Raines, R. Ross, D. A. Cheresh, S. M. Schwartz, and C. M. Giachelli* 713

Bacterial lipopolysaccharide-mediated fetal death. Production of a newly recognized form of inducible cyclooxygenase (COX-2) in murine decidua in response to lipopolysaccharide. *R. M. Silver, S. S. Edwin, M. S. Trautman, D. L. Simmons, D. W. Branch, D. J. Dudley, and M. D. Mitchell* 725

Vertical transmission of HIV-1. Correlation with maternal viral load and plasma levels of CD4 binding site anti-gp120 antibodies. *Y. F. Khouri, K. McIntosh, L. Cavacini, M. Posner, M. Pagano, R. Tuomala, and W. A. Marasco* 732

Endothelial cell tolerance to hypoxia. Potential role of purine nucleotide phosphates. *A. V. Tretyakov and H. W. Farber* 738

Cloning and molecular characterization of the ontogeny of a rat ileal sodium-dependent bile acid transporter. *B. L. Shneider, P. A. Dawson, D.-M. Christie, W. Hardikar, M. H. Wong, and F. J. Suchy* 745

The effect of non-insulin-dependent diabetes mellitus on the kinetics of onset of insulin action in hepatic and extrahepatic tissues. *D. Turk, A. Alzaid, S. Dinneen, K. S. Nair, and R. Rizza* 755

Glucose-induced alterations of cytosolic free calcium in cultured rat tail artery vascular smooth muscle cells. *M. Barbagallo, J. Shan, P. K. T. Pang, and L. M. Resnick* 763

In vivo gene therapy for hyperlipidemia: phenotypic correction in Watanabe rabbits by hepatic delivery of the rabbit LDL receptor gene. *J. Li, B. Fang, R. C. Eisensmith, X. H. C. Li, I. Nasonkin, Y.-C. Lin-Lee, M. P. Mims, A. Hughes, C. D. Montgomery, J. D. Roberts, T. S. Parker, D. M. Levine, and S. L. C. Woo* 768

Effect of platelet activating factor–acetylhydrolase on the formation and action of minimally oxidized low density lipoprotein. *A. D. Watson, M. Navab, S. Y. Hama, A. Sevanian, S. M. Prescott, D. M. Stafforini, T. M. McIntyre, B. N. La Du, A. M. Fogelman, and J. A. Berliner* 774

Impaired net hepatic glycogen synthesis in insulin-dependent diabetic subjects during mixed meal ingestion. A ^{13}C nuclear magnetic resonance spectroscopy study. *J.-H. Hwang, G. Perseghin, D. L. Rothman, G. W. Cline, I. Magnusson, K. F. Petersen, and G. I. Shulman* 783

Human cerebral osmolytes during chronic hyponatremia. A proton magnetic resonance spectroscopy study. *J. S. Videen, T. Michaelis, P. Pinto, and B. D. Ross* 788

Nitric oxide regulates the calcium current in isolated human atrial myocytes. *M. Kirstein, M. Rivet-Bastide, S. Hatem, A. Bénardeau, J.-J. Mercadier, and R. Fischmeister* 794

Activation of Jun kinase is an early event in hepatic regeneration. *J. K. Westwick, C. Weitzel, H. L. Leffert, and D. A. Brenner* 803

Physiologic hyperinsulinemia stimulates protein synthesis and enhances transport of selected amino acids in human skeletal muscle. *G. Biolo, R. Y. Declan Fleming, and R. R. Wolfe* 811

Mechanisms of filtration failure during postischemic injury of the human kidney. A study of the reperfused renal allograft. *V. Alejandro, J. D. Scandling, Jr., R. K. Sibley, D. Dafoe, E. Alfrey, W. Deen, and B. D. Myers* 820

High levels of glucose-6-phosphatase gene and protein expression reflect an adaptive response in proliferating liver and diabetes. *B. A. Haber, S. Chin, E. Chuang, W. Buikhuisen, A. Naji, and R. Taub* 832

Neu differentiation factor upregulates epidermal migration and integrin expression in excisional wounds. *D. M. Danilenko, B. D. Ring, J. Z. Lu, J. E. Tarpley, D. Chang, N. Liu, D. Wen, and G. F. Pierce* 842

Immunopathological mechanisms of human T cell lymphotropic virus type 1 (HTLV-I) uveitis. Detection of HTLV-I–infected T cells in the eye and their constitutive cytokine production. *K. Sagawa, M. Mochizuki, K. Masuoka, K. Katagiri, T. Katayama, T. Maeda, A. Tanimoto, S. Sugita, T. Watanabe, and K. Itoh* 852

The origin of the myofibroblasts in breast cancer. Recapitulation of tumor environment in culture unravels diversity and implicates converted fibroblasts and recruited smooth muscle cells. *L. Rønnov-Jessen, O. W. Petersen, V. E. Koteliansky, and M. J. Bissell* 859

Rapid Publications

Expression of a mutant human fibrillin allele upon a normal human or murine genetic background recapitulates a Marfan cellular phenotype. *Z. A. Eldadah, T. Brenn, H. Furthmayr, and H. C. Dietz* 874

Regulation of human bone marrow-derived osteoprogenitor cells by osteogenic growth factors. *M. W. Long, J. A. Robinson, E. A. Ashcraft, and K. G. Mann* 881

Differential regulation of two types of intracellular calcium release channels during end-stage heart failure. *L. O. Go, M. C. Moschella, J. Watras, K. K. Handa, B. S. Fyfe, and A. R. Marks* 888

Female germ line mosaicism as the origin of a unique IL-2 receptor γ-chain mutation causing X-linked severe combined immunodeficiency. *J. M. Puck, A. E. Pepper, P.-M. Bédard, and R. Laframboise* 895

Cell density and paradoxical transcriptional properties of c-Myc and Max in cultured mouse fibroblasts. *L. A. Lee, L. M. S. Resar, and C. V. Dang* 900

Congenital erythropoietic porphyria: identification and expression of 10 mutations in the uroporphyrinogen III synthase gene. *W. Xu, C. A. Warner, and R. J. Desnick* 905

Milk-induced eczema is associated with the expansion of T cells expressing cutaneous lymphocyte antigen. *K. J. Abernathy-Carver, H. A. Sampson, L. J. Picker, and D. Y. M. Leung* 913

February Author Index 919

Contents

The Journal of Clinical Investigation
March 1995, Volume 95, Number 3

Editorials

Of mice and men: the mice were right. *V. Bennett* 921

The potential significance of β_3 adrenergic receptors. *B. B. Lowell and J. S. Flier* 923

RecA versus catalase: who's on first? *D. J. Hassett and M. S. Cohen* . . 924

Regular Articles

Heat shock protein 70 overexpression affects the response to ultraviolet light in murine fibroblasts. Evidence for increased cell viability and suppression of cytokine release. *M. M. Simon, A. Reikerstorfer, A. Schwarz, C. Krone, T. A. Luger, M. Jäättelä, and T. Schwarz* 926

Juvenile chronic arthritis: T cell reactivity to human HSP60 in patients with a favorable course of arthritis. *E. R. de Graeff-Meeder, W. van Eden, G. T. Rijkers, B. J. Prakken, W. Kuis, M. M. Voorhorst-Ogink, R. van der Zee, H.-J. Schuurman, P. J. M. Helders, and B. J. M. Zegers* 934

A nonsense mutation 1669Glu→Ter within the regulatory domain of human erythroid ankyrin leads to a selective deficiency of the major ankyrin isoform (Band 2.1) and a phenotype of autosomal dominant hereditary spherocytosis. *P. Jarolim, H. L. Rubin, V. Brabec, and J. Palek* 941

The serum angiotensinogen concentration and variants of the angiotensinogen gene in white and black children. *L. J. Bloem, A. K. Manatunga, D. A. Tewksbury, and J. H. Pratt* 948

Molecular and biochemical basis of intermediate maple syrup urine disease. Occurrence of homozygous G245R and F364C mutations at the E1α locus of Hispanic-Mexican patients. *J. L. Chuang, J. R. Davie, J. M. Chinsky, R. M. Wynn, R. P. Cox, and D. T. Chuang* 954

Identification of malignant cells in multiple myeloma bone marrow with immunoglobulin V_H gene probes by fluorescent in situ hybridization and flow cytometry. *J. Cao, R. A. Vescio, C. H. Hong, A. Kim, A. K. Lichtenstein, and J. R. Berenson* 964

Posttranscriptional stabilization underlies *p53*-independent induction of *p21*$^{WAF1/CIP1/SDI1}$ in differentiating human leukemic cells. *J. Schwaller, H. P. Koeffler, G. Niklaus, P. Loetscher, S. Nagel, M. F. Fey, and A. Tobler* 973

Metabolic predictors of obesity. Contribution of resting energy expenditure, thermic effect of food, and fuel utilization to four-year weight gain of post-obese and never-obese women. *R. L. Weinsier, K. M. Nelson, D. D. Hensrud, B. E. Darnell, G. R. Hunter, and Y. Schutz* 980

Transforming growth factor-β reverses a posttranscriptional defect in elastin synthesis in a cutis laxa skin fibroblast strain. *M.-C. Zhang, M. Giro, D. Quaglino, Jr., and J. M. Davidson* 986

Angiotensin II regulates the expression of plasminogen activator inhibitor-1 in cultured endothelial cells. A potential link between the renin-angiotensin system and thrombosis. *D. E. Vaughan, S. A. Lazos, and K. Tong* 995

Molecular and cellular basis of deficiency of the *b* subunit for factor XIII secondary to a Cys430-Phe mutation in the seventh Sushi domain. *T. Hashiguchi and A. Ichinose* 1002

Modulation of neutrophil influx in glomerulonephritis in the rat with anti-macrophage inflammatory protein-2 (MIP-2) antibody. *L. Feng, Y. Xia, T. Yoshimura, and C. B. Wilson* 1009

Effect of alpha-tocopherol on restenosis after angioplasty in a model of experimental atherosclerosis. *A. M. Lafont, Y.-C. Chai, J. F. Cornhill, P. L. Whitlow, P. H. Howe, and G. M. Chisolm* 1018

The low molecular mass GTP-binding protein Rho is affected by toxin A from *Clostridium difficile*. *I. Just, J. Selzer, C. von Eichel-Streiber, and K. Aktories* 1026

Increased secretory demand rather than a defect in the proinsulin conversion mechanism causes hyperproinsulinemia in a glucose-infusion rat model of non-insulin-dependent diabetes mellitus. *C. Alarcón, J. L. Leahy, G. T. Schuppin, and C. J. Rhodes* 1032

Molecular basis of CD36 deficiency. Evidence that a ^{478}C→T substitution (Proline90→Serine) in *CD36* cDNA accounts for CD36 deficiency. *H. Kashiwagi, Y. Tomiyama, S. Honda, S. Kosugi, M. Shiraga, N. Nagao, S. Sekiguchi, Y. Kanayama, Y. Kurata, and Y. Matsuzawa* 1040

DNA repair is more important than catalase for *Salmonella* virulence in mice. *N. A. Buchmeier, S. J. Libby, Y. Xu, P. C. Loewen, J. Switala, D. G. Guiney, and F. C. Fang* 1047

Hereditary porcine membranoproliferative glomerulonephritis type II is caused by factor H deficiency. *K. Hægåsen, J. H. Jansen, T. E. Molines, J. Hovdenes, and M. Harboe* 1054

Heparin-enhanced plasma phospholipase A_2 activity and prostacylin synthesis in patients undergoing cardiac surgery. *H. Nakamura, D. K. Kim, D. M. Philbin, M. B. Peterson, F. Debros, G. Koski, and J. V. Bonventre* 1062

Cartilage and bone metabolism in rheumatoid arthritis. Differences between rapid and slow progression of disease identified by serum markers of cartilage metabolism. *B. Månsson, D. Carey, M. Alini, M. Ionescu, L. C. Rosenberg, A. R. Poole, D. Heinegård, and T. Saxne* . 1071

Inhibition of leukocyte-endothelial cell interactions and inflammation by peptides from a bacterial adhesin which mimic coagulation Factor X. *E. Rozdzinski, J. Sandros, M. van der Flier, A. Young, B. Spellerberg, C. Bhattacharyya, J. Straub, G. Musso, S. Putney, R. Starzyk, and E. Tuomanen* 1078

Effect of recombinant human tumor necrosis factor-alpha on cerebral oxygen uptake, cerebrospinal fluid lactate, and cerebral blood flow in the rabbit: role of nitric oxide. *J. Tureen* 1086

Impairment of energy metabolism in intact residual myocardium of rat hearts with chronic myocardial infarction. *S. Neubauer, M. Horn, A. Naumann, R. Tian, K. Hu, M. Laser, J. Friedrich, P. Gaudron, K. Schnackerz, J. S. Ingwall, and G. Erti* 1092

A functional role for endogenous atrial natriuretic peptide in a canine model of early left ventricular dysfunction. *T. L. Stevens, J. C. Burnett, Jr., M. Kinoshita, Y. Matsuda, and M. M. Redfield* 1101

A pathogenic role of visceral fat β_3-adrenoceptors in obesity. *F. Lönnqvist, A. Thörne, K. Nilsell, J. Hoffstedt, and P. Arner* 1109

Telomeric DNA in normal and leukemic blood cells. *O. Yamada, K. Oshimi, T. Motoji, and H. Mizoguchi* 1117

Role of the low density lipoprotein receptor in the flux of cholesterol through the plasma and across the tissues of the mouse. *Y. Osono, L. A. Woollett, J. Herz, and J. M. Dietschy* 1124

Induction of sustained expression of proto-oncogene *c-fms* by platelet-derived growth factor, epidermal growth factor, and basic fibroblast growth factor, and its suppression by interferon-γ and macrophage colony-stimulating factor in human aortic medial smooth muscle cells. *T. Inaba, T. Gotoda, K. Harada, M. Shimada, J.-i. Ohsuga, S. Ishibashi, Y. Yazaki, and N. Yamada* 1133

Blood-pressure regulates platelet-derived growth factor A-chain gene expression in vascular smooth muscle cells in vivo. An autocrine mechanism promoting hypertensive vascular hypertrophy. *N. Negoro, Y. Kanayama, M. Haraguchi, N. Umetani, M. Nishimura, Y. Konishi, J. Iwai, M. Okamura, T. Inoue, and T. Takeda* 1140

Atrial and brain natriuretic peptides stimulate the production and secretion of C-type natriuretic peptide from bovine aortic endothelial cells. *B. Nazario, R.-M. Hu, A. Pedram, B. Prins, and E. R. Levin* . . . 1151

Migration of bovine aortic smooth muscle cells after wounding injury. The role of hyaluronan and RHAMM. *R. C. Savani, C. Wang, B. Yang, S. Zhang, M. G. Kinsella, T. N. Wight, R. Stern, D. M. Nance, and E. A. Turley* 1158

Missense mutation in exon 7 of the common γ chain gene causes a moderate form of X-linked combined immunodeficiency. *F. C. Schmalstieg, W. J. Leonard, M. Noguchi, M. Berg, H. E. Rudloff, R. M. Denney, S. K. Dave, E. G. Brooks, and A. S. Goldman* 1169

Recurrent fatal hydrops fetalis associated with a nucleotide substitution in the erythrocyte β-spectrin gene. *P. G. Gallagher, S. A. Weed, W. T. Tse, L. Benoit, J. S. Morrow, S. L. Marchesi, N. Mohandas, and B. G. Forget* 1174

Effect of granulocyte-macrophage colony-stimulating factor in experimental visceral leishmaniasis. *H. W. Murray, J. S. Cervia, J. Hariprashad, A. P. Taylor, M. Y. Stoeckle, and H. Hockman* 1183

Cross-resistance between cisplatin, antimony potassium tartrate, and arsenite in human tumor cells. *P. Naredi, D. D. Heath, R. E. Enns, and S. B. Howell* 1193

Inducible nitric oxide synthase in rat hepatic lipocytes and the effect of nitric oxide on lipocyte contractility. *D. C. Rockey and J. J. Chung* . . 1199

The purinergic P_{2Z} receptor of human macrophage cells. Characterization and possible physiological role. *S. Falzoni, M. Munerati, D. Ferrari, S. Spisani, S. Moretti, and F. Di Virgillo* 1207

Decreased stress responsivity of central and peripheral catecholaminergic systems in aged 344/N Fischer rats. *G. Cizza, K. Pacak, R. Kvetnansky, M. Palkovits, D. S. Goldstein, L. S. Brady, K. Fukuhara, E. Bergamini, I. J. Kopin, M. R. Blackman, G. P. Chrousos, and P. W. Gold* 1217

Familial ligand-defective apolipoprotein B. Identification of a new mutation that decreases LDL receptor binding affinity. *C. R. Pullinger, L. K. Hennessy, J. E. Chatterton, W. Liu, J. A. Love, C. M. Mendel, P. H. Frost, M. J. Malloy, V. N. Schumaker, and J. P. Kane* 1225

Heterogeneous expression of cholesterol 7α-hydroxylase and sterol 27-hydroxylase genes in the rat liver lobulus. *J. Twisk, M. F. M. Hoekman, W. H. Mager, A. F. M. Moorman, P. A. J. de Boer, L. Scheja, H. M. G. Princen, and R. Gebhardt* 1235

Activation of mesangial cells by the phosphatase inhibitor vanadate. Potential implications for diabetic nephropathy. *U. O. Wenzel, B. Fouqueray, P. Biswas, G. Grandaliano, G. G. Choudhury, and H. E. Abboud* 1244

Kinetic modeling and mathematical analysis indicate that acute phase gene expression in Hep 3B cells is regulated by both transcriptional and posttranscriptional mechanisms. *S.-L. Jiang, D. Samols, D. Rzewnicki, S. S. Macintyre, I. Greber, J. Sipe, and I. Kushner* 1253

Modified low density lipoprotein and its constituents augment cytokine-activated vascular cell adhesion molecule-1 gene expression in human vascular endothelial cells. *B. V. Khan, S. S. Parthasarathy, R. W. Alexander, and R. M. Medford* 1262

Reduced β-adrenergic receptor activation decreases G-protein expression and β-adrenergic receptor kinase activity in porcine heart. *P. Ping, R. Gelzer-Bell, D. A. Roth, D. Kiel, P. A. Insel, and H. K. Hammond* . . 1271

An amino acid substitution in the human intestinal fatty acid binding protein is associated with increased fatty acid binding, increased fat oxidation, and insulin resistance. *L. J. Baier, J. C. Sacchettini, W. C. Knowler, J. Eads, G. Paolisso, P. A. Tataranni, H. Mochizuki, P. H. Bennett, C. Bogardus, and M. Prochazka* 1281

Human and murine pituitary expression of leukemia inhibitory factor. Novel intrapituitary regulation of adrenocorticotropin hormone synthesis and secretion. *S. Akita, J. Webster, S.-G. Ren, H. Takino, J. Said, O. Zand, and S. Melmed* 1288

Unique C1 inhibitor dysfunction in a kindred without angioedema. II. Identification of an Ala^{443}→Val substitution and functional analysis of the recombinant mutant protein. *R. Zahedi, J. J. Bissler, A. E. Davis III, C. Andreadis, and J. J. Wisnieski* 1299

Epstein-Barr virus-induced autoimmune responses. I. Immunoglobulin M autoantibodies to proteins mimicking and not mimicking Epstein-Barr virus nuclear antigen-1. *J. H. Vaughan, J. R. Valbracht, M.-D. Nguyen, H. H. Handley, R. S. Smith, K. Patrick, and G. H. Rhodes* 1306

Epstein-Barr virus-induced autoimmune responses. II. Immunoglobulin G autoantibodies to mimicking and nonmimicking epitopes. Presence in autoimmune disease. *J. H. Vaughan, M.-D. Nguyen, J. R. Valbracht, K. Patrick, and G. H. Rhodes* 1316

Premature termination codons on both alleles of the type VII collagen gene (COL7A1) in three brothers with recessive dystrophic epidermolysis bullosa. *A. M. Christiano, Y. Suga, D. S. Greenspan, H. Ogawa, and J. Uitto* 1328

Targeting gene expression to the vascular wall in transgenic mice using the murine preproendothelin-1 promoter. *D. Harats, H. Kurihara, P. Belloni, H. Oakley, A. Ziober, D. Ackley, G. Cain, Y. Kurihara, R. Lawn, and E. Sigal* 1335

180-kD bullous pemphigoid antigen (BP180) is deficient in generalized atrophic benign epidermolysis bullosa. *M. F. Jonkman, M. C. J. M. de Jong, K. Heeres, H. H. Pas, J. B. van der Meer, K. Owaribe, A. M. M. de Velasco, C. M. Niessen, and A. Sonnenberg* . . 1345

Angiotensin II induces plasminogen activator inhibitor-1 and -2 expression in vascular endothelial and smooth muscle cells. *E. P. Feener, J. M. Northrup, L. P. Aiello, and G. L. King* 1353

Fluid shear stress induces endothelial transforming growth factor beta-1 transcription and production. Modulation by potassium channel blockade. *M. Ohno, J. P. Cooke, V. J. Dzau, and G. H. Gibbons* 1363

Rapid Publications

Monocyte chemotactic protein-1 (MCP-1), -2, and -3 are chemotactic for human T lymphocytes. *D. D. Taub, P. Proost, W. J. Murphy, M. Anver, D. L. Longo, J. Van Damme, and J. J. Oppenheim* 1370

Normalization of raised sodium absorption and raised calcium-mediated chloride secretion by adenovirus-mediated expression of cystic fibrosis transmembrane conductance regulator in primary human cystic fibrosis airway epithelial cells. *L. G. Johnson, S. E. Boyles, J. Wilson, and R. C. Boucher* 1377

Increased expression of mitochondrial-encoded genes in skeletal muscle of humans with diabetes mellitus. *D. A. Antonetti, C. Reynet, and C. R. Kahn* 1383

Somatic mutation of human immunoglobulin V genes in the X-linked hyperIgM syndrome. *Y.-W. Chu, E. Marin, R. Fuleihan, N. Ramesh, F. S. Rosen, R. S. Geha, and R. A. Insel* 1389

Subtype 2 of angiotensin II receptors controls pressure-natriuresis in rats. *M. Lo, K.-L. Liu, P. Lantelme, and J. Sassard* 1394

Induction of cross-reactive anti-dsDNA antibodies in preautoimmune NZB/NZW mice by immunization with bacterial DNA. *G. S. Gilkeson, A. M. M. Pippen, and D. S. Pisetsky* 1398

The low density lipoprotein receptor is not required for normal catabolism of Lp (a) in humans. *D. J. Rader, W. A. Mann, W. Cain, H.-G. Kraft, D. Usher, L. A. Zech, J. M. Hoeg, J. Davignon, P. Lupien, M. Grossman, J. M. Wilson, and H. B. Brewer, Jr.* 1403

Abnormal contractile properties of muscle fibers expression β-myosin heavy chain gene mutations in patients with hypertrophic cardiomyopathy. *E. B. Lankford, N. D. Epstein, L. Fananapazir, and H. L. Sweeney* 1409

Human alveolar macrophages present antigen ineffectively due to defective expression of B7 costimulatory cell surface molecules. *C. J. Chelen, Y. Fang, G. J. Freeman, H. Secrist, J. D. Marshall, P. T. Hwang, L. R. Frankel, R. H. DeKruyff, and D. T. Umetsu* 1415

March Author Index 1422

Contents

The Journal of Clinical Investigation
April 1995, Volume 95, Number 4

Editorials

Adhesion molecule knockouts: One step forward and one step backward. *P. A. Ward* 1425

Somatic cell gene therapy for a trait as complex as hypertension? *J. A. Martinez and D. T. O'Connor* 1426

Impaired muscle fat metabolism: A cause or effect of visceral obesity? *R. R. Henry* 1427

Regular Articles

Gap junction-mediated cell-to-cell communication in bovine and human adrenal cells. A process whereby cells increase their responsiveness to physiological corticotropin concentrations. *Y. Munari-Silem, M. C. Lebrethon, I. Morand, B. Rousset, and J. M. Saez* 1429

Alkaline phosphatase: placental and tissue-nonspecific isoenzymes hydrolyze phosphoethanolamine, inorganic pyrophosphate, and pyridoxal 5′-phosphate. Substrate accumulation in carriers of hypophosphatasia corrects during pregnancy. *M. P. Whyte, M. Landt, L. M. Ryan, R. A. Mulivor, P. S. Henthorn, K. N. Fedde, J. D. Mahuren, and S. P. Coburn* 1440

Overexpression of the rat inducible 70-kD heat stress protein in a transgenic mouse increases the resistance of the heart to ischemic injury. *M. S. Marber, R. Mestril, S.-H. Chi, M. R. Sayen, D. M. Yellon, and W. H. Dillmann* 1446

Regulation of G-Protein α_{i2} subunit expression by oxidized low-density lipoprotein. *J. K. Liao and S. L. Clark* 1457

24-hour glucose profiles during continuous or oscillatory insulin infusion. Demonstration of the functional significance of ultradian insulin oscillations. *J. Sturis, A. J. Scheen, R. Leproult, K. S. Polonsky, and E. Van Cauter* 1464

Ethanol impairs post-prandial hepatic protein metabolism. *P. De Feo, E. Volpi, P. Lucidi, G. Cruciani, F. Monacchia, G. Reboldi, F. Santeusanio, G. B. Bolli, and P. Brunetti* 1472

Intracellular acidification associated with changes in free cytosolic calcium. Evidence for Ca^{2+}/H^+ exchange via a plasma membrane Ca^{2-}-ATPase in vascular smooth muscle cells. *J. T. Daugirdas, J. Arrieta, M. Ye, G. Flores, and D. C. Batlle* 1480

The effect of cyclic-AMP on the regulation of *cmyc* expression in T lymphoma cells. *D. A. Albert* 1490

Unexpected inhibition of cholesterol 7α-hydroxylase by cholesterol in New Zealand White and Watanabe heritable hyperlipidemic rabbits. *G. Xu, G. Salen, S. Shefer, G. C. Ness, L. B. Nguyen, T. S. Parker, T. S. Chen, Z. Zhao, T. M. Donnelly, and G. S. Tint* 1497

Glutamate decarboxylase-, insulin-, and islet cell-antibodies and HLA typing to detect diabetes in a general population-based study of Swedish children. *W. A. Hagopian, C. B. Sanjeevi, I. Kockum, M. Landin-Olsson, A. E. Karlsen, G. Sundkvist, G. Dahlquist, J. Palmer, and Å. Lernmark* 1505

Glycemic improvement in diabetic *db/db* mice by overexpression of the human insulin-regulatable glucose transporter (GLUT4). *E. M. Gibbs, J. L. Stock, S. C. McCoid, H. A. Stukenbrok, J. E. Pessin, R. W. Stevenson, A. J. Milici, and J. D. McNeish* 1512

Effects of angiotensin II generated by an angiotensin converting enzyme-independent pathway on left ventricular performance in the conscious baboon. *B. D. Hoit, Y. Shao, A. Kinoshita, M. Gabel, A. Husain, and R. A. Walsh* 1519

Distinctive anatomical patterns of gene expression for cGMP-inhibited cyclic nucleotide phosphodiesterases. *R. R. Reinhardt, E. Chin, J. Zhou, M. Taira, T. Murata, V. C. Manganiello, and C. A. Bondy* 1528

The role of complement in experimental bullous pemphigoid. *Z. Liu, G. J. Giudice, S. J. Swartz, J. A. Fairley, G. O. Till, J. L. Troy, and L. A. Diaz* 1539

Identification of four chromosomal loci determining obesity in a multifactorial mouse model. *C. H. Warden, J. S. Fisler, S. M. Shoemaker, P.-Z. Wen, K. L. Svenson, M. J. Pace, and A. J. Lusis* 1545

Glanzmann thrombasthenia resulting from a single amino acid substitution between the second and third calcium-binding domains of GPIIb. Role of the GPIIb amino terminus in integrin subunit association. *D. A. Wilcox, C. M. Paddock, S. Lyman, J. C. Gill, and P. J. Newman* . . 1553

Immunodominant minor histocompatibility antigens expressed by mouse leukemic cells can serve as effective targets for T cell immunotherapy. *S. Pion, P. Fontaine, C. Baron, M. Gyger, and C. Perreault* 1561

Identification of a gC1q-binding protein (gC1q-R) on the surface of human neutrophils. Subcellular localization and binding properties in comparison with the cC1q-R. *P. Eggleton, B. Ghebrehiwet, K. N. Sastry, J. P. Coburn, K. S. Zaner, K. B. M. Reid, and A. I. Tauber* 1569

Role of organic osmolytes in myelinolysis. A topographic study in rats after rapid correction of hyponatremia. *Y.-H. H. Lien* 1579

Decreased cholesteryl ester transfer protein (CETP) mRNA and protein and increased high density lipoprotein following lipopolysaccharide administration in human CETP transgenic mice. *L. Masucci-Magoulas, P. Moulin, X. C. Jiang, H. Richardson, A. Walsh, J. L. Breslow, and A. Tall* 1587

Secondary alcohol metabolites mediate iron delocalization in cytosolic fractions of myocardial biopsies exposed to anticancer anthracyclines. Novel linkage between anthracycline metabolism and iron-induced cardiotoxicity. *G. Minotti, A. F. Cavaliere, A. Mordente, M. Rossi, R. Schiavello, R. Zamparelli, and G. Possati* 1595

Germline p53 mutations are frequently detected in young children with rhabdomyosarcoma. *L. Diller, E. Sexsmith, A. Gottlieb, F. P. Li, and D. Malkin* 1606

An inherited bleeding disorder linked to a defective interaction between ADP and its receptor on platelets. Its influence on glycoprotein IIb–IIIa complex function. *P. Nurden, P. Savi, E. Heilmann, C. Bihour, J.-M. Herbert, J.-P. Maffrand, and A. Nurden* 1612

Vasopressin stimulates Cl^- transport in ascending thin limb of Henle's loop in hamster. *N. Takahashi, Y. Kondo, O. Ito. Y. Igarashi, K. Omata, and K. Abe* 1623

Immune complexes inhibit antimicrobial responses through interleukin-10 production. Effects in severe combined immunodeficient mice during *Listeria* infection. *C. S. Tripp, K. P. Beckerman, and E. R. Unanue* . . . 1628

Genetic polymorphisms of the β_2-adrenergic receptor in nocturnal and nonnocturnal asthma. Evidence that Gly16 correlates with the nocturnal phenotype. *J. Turki, J. Pak, S. A. Green, R. J. Martin, and S. B. Liggett* 1635

Pathways of processing of the gastrin precursor in rat antral mucosa. *A. Varro, S. Voronina, and G. J. Dockray* 1642

Cisplatin-associated anemia: an erythropoietin deficiency syndrome. *P. A. Wood and W. J. M. Hrushesky* 1650

Characterization of the deoxycytidine kinase promoter in human lymphoblast cell lines. *E. H. Chen, E. E. Johnson II, S. M. Vetter, and B. S. Mitchell* 1660

Involvement of reactive oxygen intermediates in cyclooxygenase-2 expression induced by interleukin-1, tumor necrosis factor-α, and lipopolysaccharide. *L. Feng, Y. Xia, G. E. Garcia, D. Hwang, and C. B. Wilson* 1669

Overexpression of G_{α_s} protein in the hearts of transgenic mice. *C. Gaudin, Y. Ishikawa, D. C. Wight, V. Mahdavi, B. Nadal-Ginard, T. E. Wagner, D. E. Vatner, and C. J. Homcy* 1676

Tumor necrosis factor-α eliminates binding of NF-Y and an octamer-binding protein to the lipoprotein lipase promoter in 3T3-L1 adipocytes. *C. L. Morin, I. R. Schlaepfer, and R. H. Eckel* 1684

Phenotypic and functional changes in peripheral blood monocytes during progression of human immunodefiency virus infection. Effects of soluble immune complexes, cytokines, subcellular particulates from apoptotic cells, and HIV-1-encoded proteins on monocyte phagocytic function, oxidative burst, transendothelial migration and cell surface phenotype. *J. Trial, H. H. Birdsall, J. A. Hallum, M. L. Crane, M. C. Rodriguez-Barradas, A. L. de Jong, B. Krishnan, C. E. Lacke, C. G. Figdor, and R. D. Rossen* 1690

Molecular study of pyruvate kinase deficient patients with hereditary nonspherocytic hemolytic anemia. *L. Baronciani and E. Beutler* 1702

Direct gene delivery of human tissue kallikrein reduces blood pressure in spontaneously hypertensive rats. *C. Wang, L. Chao, and J. Chao* . . 1710

Expression of an insulin/interleukin-1 receptor antagonist hybrid gene in insulin-producing cell lines (HIT-T15 and NIT-1) confers resistance against interleukin-1-induced nitric oxide production. *N. Welsh, K. Bendtzen, and M. Welsh* 1717

Cytokines from activated T cells induce normal endothelial cells to acquire the phenotypic and functional features of AIDS-Kaposi's sarcoma spindle cells. *V. Fiorelli, R. Gendelman, F. Samaniego, P. D. Markham, and B. Ensoli* 1723

Human eosinophil-granule major basic protein and synthetic polycations induce airway hyperresponsiveness in vivo dependent on bradykinin generation. *A. J. Coyle, S. J. Ackerman, R. Burch, D. Proud, and C. G. Irvin* 1735

Immune predispositions for cytomegalovirus retinitis in AIDs. *R. D. Schrier, W. R. Freeman, C. A. Wiley, J. A. McCutchan, and HNRC group* 1741

Nitric oxide activity in the human coronary circulation. Impact of risk factors for coronary atherosclerosis. *A. A. Quyyumi, N. Dakak, N. P. Andrews, S. Husian, S. Arora, D. M. Gilligan, J. A. Panza, and R. O. Cannon III* 1747

Prevention of in vitro neutrophil–endothelial attachment through shedding of L-selectin by nonsteroidal antiinflammatory drugs. *F. Díaz-González, I. González-Alvaro, M. R. Campanero, F. Mollinedo, M. A. del Pozo, C. Muñoz, J. P. Pivel, and F. Sánchez-Madrid* 1756

Population and family studies of three disease-related polymorphic genes in systemic lupus erythematosus. *D.-F. Huang, K. A. Siminovitch, X.-Y. Liu, T. Olee, N. J. Olsen, C. Berry, D. A. Carson, and P. P. Chen* 1766

The carboxy terminus of tissue factor pathway inhibitor is required for interacting with hepatoma cells in vitro and in vivo. *I. Warshawsky, G. Bu, A. Mast, J. E. Saffitz, G. J. Broze, Jr., and A. L. Schwartz* 1773

P-Selectin/ICAM-1 double mutant mice: acute emigration of neutrophils into the peritoneum is completely absent but is normal into pulmonary alveoli. *D. C. Bullard, L. Qin, I. Lorenzo, W. M. Quinlin, N. A. Doyle, R. Bosse, D. Vestweber, C. M. Doerschuk, and A. L. Beaudet* 1782

Regulation by vascular endothelial growth factor of human colon cancer tumorigenesis in a mouse model of experimental liver metastasis. *R. S. Warren, H. Yuan, M. R. Matli, N. A. Gillett, and N. Ferrara* . . . 1789

Increased gene expression for VEGF and the VEGF receptors *KDR/Flk* and *Flt* in lungs exposed to acute or to chronic hypoxia. Modulation of gene expression by nitric oxide. *R. M. Tuder, B. E. Flook, and N. F. Voelkel* 1798

Myoblast transfer of human erythropoietin gene in a mouse model of renal failure. *Y. Hamamori, B. Samal, J. Tian, and L. Kedes* 1808

Binding, uptake, and intracellular trafficking of phosphorothioate-modified oligodeoxynucleotides. *C. Beltinger, H. U. Saragovi, R. M. Smith, L. LeSauteur, N. Shah, L. DeDionisio, L. Christensen, A. Raible, L. Jarett, and A. M. Gewirtz* 1814

Molecular and cellular aspects of iron-induced hepatic cirrhosis in rodents. *A. Pietrangelo, R. Gualdi, G. Casalgrandi, G. Montosi, and E. Ventura* 1824

Severe Alport phenotype in a woman with two missense mutations in the same COL4A5 gene and preponderant inactivation of the X chromosome carrying the normal allele. *C. Guo, B. Van Damme, Y. Vanrenterghem, K. Devriendt, J.-J. Cassiman, and P. Marynen* . . . 1832

Lithium-induced downregulation of aquaporin-2 water channel expression in rat kidney medulla. *D. Marples, S. Christensen, E. I. Christensen, P. D. Ottosen, and S. Nielsen* 1838

Skeletal muscle utilization of free fatty acids in women with visceral obesity. *S. R. Colberg, J.-A. Simoneau, F. L. Thaete, and D. E. Kelley* . . 1846

Transgenic mice expressing the human heat shock protein 70 have improved post-ischemic myocardial recovery. *J.-C. L. Plumier, B. M. Ross, R. W. Currie, C. E. Angelidis, H. Kazlaris, G. Kollias, and G. N. Pagoulatos* 1854

Cultured lung fibroblasts isolated from patients with idiopathic pulmonary fibrosis have a diminished capacity to synthesize prostaglandin E_2 and to express cyclooxygenase-2. *J. Wilborn, L. J. Crofford, M. D. Burdick, S. L. Kunkel, R. M. Strieter, and M. Peters-Golden* 1861

Taxol inhibits neointimal smooth muscle cell accumulation after angioplasty in the rat. *S. J. Sollott, L. Cheng, R. R. Pauly, G. M. Jenkins, R. E. Monticone, M. Kuzuya, J. P. Froehlich, M. T. Crow, E. G. Lakatta, E. K. Rowinsky, and J. L. Kinsella* 1869

Molecular basis of subtotal complement C6 deficiency. A carboxy-terminally truncated but functionally active C6. *R. Würzner, M. J. Hobart, B. A. Fernie, D. Mewar, P. C. Potter, A. Orren, and P. J. Lachmann* 1877

Splenic B lymphocyte programmed cell death is prevented by nitric oxide release through mechanisms involving sustained Bcl-2 levels. *A. M. Genaro, S. Hortelano, A. Alvarez, C. Martínez-A., and L. Boscá* 1884

Detection and expression of a cDNA clone that encodes a polypeptide containing two inhibitory domains of human calpastatin and its recognition by rheumatoid arthritis sera. *N. Després, G. Talbot, B. Plouffe, G. Boire, and H. A. Ménard* 1891

Apoptosis induced by an anti-epidermal growth factor receptor monoclonal antibody in a human colorectal carcinoma cell line and its delay by insulin. *X. Wu, Z. Fan, H. Masui, N. Rosen, and J. Mendelsohn* 1897

MCF-7 breast cancer cells transfected with protein kinase C-α exhibit altered expression of other protein kinase C isoforms and display a more aggressive neoplastic phenotype. *D. K. Ways, C. A. Kukoly, J. deVente, J. L. Hooker, W. O. Bryant, K. J. Posekany, D. J. Fletcher, P. P. Cook, and P. J. Parker* 1906

Extracellular accumulation of potently microbicidal bactericidal/permeability-increasing protein and p15s in an evolving sterile rabbit peritoneal inflammatory exudate. *Y. Weinrauch, A. Foreman, C. Shu, K. Zarember, O. Levy, P. Elsbach, and J. Weiss* 1916

Severe insulin-resistant diabetes mellitus in patients with congenital muscle fiber type disproportion myopathy. *H. Vestergaard, H. H. Klein, T. Hansen, J. Müller, F. Skovby, C. Bjørbæk, M. E. Røder, and O. Pedersen* 1925

The diurnal rhythm of bone resorption in the rat. Effect of feeding habits and pharmacological inhibitors. *R. C. Mühlbauer and H. Fleisch* 1933

Rapid Publications

Amplification of nitric oxide synthase expression by nitric oxide in interleukin 1β-stimulated rat mesangial cells. *H. Mühl and J. Pfeilschifter* 1941

Protection against endotoxic shock by bactericidal/permeability-increasing protein in rats. *H. Jin, R. Yang, S. Marsters, A. Ashkenazi, S. Bunting, M. N. Marra, R. W. Scott, and J. B. Baker* 1947

April Author Index 1953

Contents

The Journal of Clinical Investigation
May 1995, Volume 95, Number 5

Editorial

P-selectin chases a butterfly. *D. D. Wagner* 1955

Regular Articles

A chemotactic S100 peptide enhances scavenger receptor and Mac-1 expression and cholesteryl ester accumulation in murine peritoneal macrophages in vivo. *W. Lau, J. M. Devery, and C. L. Geczy* 1957

Glucokinase and cytosolic phospho*enol*pyruvate carboxykinase (GTP) in the human liver. Regulation of gene expression in cultured hepatocytes. *P. B. Iynedjian, S. Marie, A. Gjinovci, B. Genin, S.-P. Deng, L. Buhler, P. Morel, and G. Mentha* 1966

High avidity IFN-neutralizing antibodies in pharmaceutically prepared human IgG. *C. Ross, M. Svenson, M. B. Hansen, G. L. Vejlsgaard, and K. Bendtzen* 1974

Serum low density lipoprotein of alcoholic patients is chemically modified in vivo and induces apolipoprotein E synthesis by macrophages. *R. C. Lin, J. Dai, L. Lumeng, and M.-y. Zhang* 1979

Protein S as an in vivo cofactor to activated protein C in prevention of microarterial thrombosis in rabbits. *B. Arnljots and B. Dahlbäck* . . . 1987

Hepatocyte growth factor is the most potent endogenous stimulant of rabbit gastric epithelial cell proliferation and migration in primary culture. *M. Takahashi, S. Ota, T. Shimada, E. Hamada, T. Kawabe, T. Okudaira, M. Matsumura, N. Kaneko, A. Terano, T. Nakamura, and M. Omata* 1994

Clostridium difficile toxin B is more potent than toxin A in damaging human colonic epithelium in vitro. *M. Riegler, R. Sedivy, C. Pothoulakis, G. Hamilton, J. Zacherl, G. Bischof, E. Cosentini, W. Feil, R. Schiessel, J. T. LaMont, and E. Wenzl* 2004

Angiotensin II upregulates type-1 angiotensin II receptors in renal proximal tubule. *H.-F. Cheng, B. N. Becker, K. D. Burns, and R. C. Harris* 2012

The effects of oxidized low density lipoproteins on inducible mouse macrophage gene expression are gene and stimulus dependent. *T. A. Hamilton, J. A. Major, and G. M. Chisolm* 2020

Growth hormone mRNA in mammary gland tumors of dogs and cats. *J. A. Mol, E. van Garderen, P. J. Selman, J. Wolfswinkel, A. Rijnberk, and G. R. Rutteman* 2028

5-Lipoxygenase is located in the euchromatin of the nucleus in resting human alveolar macrophages and translocates to the nuclear envelope upon cell activation. *J. W. Woods, M. J. Coffey, T. G. Brock, I. I. Singer, and M. Peters-Golden* 2035

Monoclonality of parathyroid tumors in chronic renal failure and in primary parathyroid hyperplasia. *A. Arnold, M. F. Brown, P. Ureña, R. D. Gaz, E. Sarfati, and T. B. Drüeke* 2047

Altered representation of naive and memory CD8 T cell subsets in HIV-infected children. *R. L. Rabin, M. Roederer, Y. Maldonado, A. Petru, L. A. Herzenberg, and L. A. Herzenberg* 2054

CD8 naive T cell counts decrease progressively in HIV-infected adults. *M. Roederer, J. G. Dubs, M. T. Anderson, P. A. Raju, L. A. Herzenberg, and L. A. Herzenberg* 2061

Hepatitis C virus (HCV) genotype, tissue HCV antigens, hepatocellular expression of HLA-A,B,C, and intercellular adhesion-1 molecules. Clues to pathogenesis of hepatocellular damage and response to interferon treatment in patients with chronic hepatitis C. *G. Ballardini, P. Groff, P. Pontisso, F. Giostra, R. Francesconi, M. Lenzi, D. Zauli, A. Alberti, and F. B. Bianchi* 2067

Two α subunit donor splice site mutations cause human trifunctional protein deficiency. *J. C. Brackett, H. F. Sims, P. Rinaldo, S. Shapiro, C. K. Powell, M. J. Bennett, and A. W. Strauss* 2076

Autocrine inhibition of Na^+/K^+-ATPase by nitric oxide in mouse proximal tubule epithelial cells. *N. J. Guzman, M.-Z. Fang, S.-S. Tang, J. R. Ingelfinger, and L. C. Garg* 2083

Complete degradation of type X collagen requires the combined action of interstitial collagenase and osteoclast-derived cathepsin-B. *U. I. Sires, T. M. Schmid, C. J. Fliszar, Z.-Q. Wang, S. L. Gluck, and H. G. Welgus* 2089

Coordinated expression of the vitronectin receptor and the urokinase-type plasminogen activator receptor in metastatic melanoma cells. *J. Nip, S. A. Rabbani, H. R. Shibata, and P. Brodt* 2096

Lipid-induced changes in intracellular iron homeostasis in vitro and in vivo. *B. J. Van Lenten, J. Prieve, M. Navab, S. Hama, A. J. Lusis, and A. M. Fogelman* 2104

The expression of tumor necrosis factor in human adipose tissue. Regulation by obesity, weight loss, and relationship to lipoprotein lipase. *P. A. Kern, M. Saghizadeh, J. M. Ong, R. J. Bosch, R. Deem, and R. B. Simsolo* 2111

Correlation between disease phenotype and genetic heterogeneity in rheumatoid arthritis. *C. M. Weyand, T. G. McCarthy, and J. J. Goronzy* 2120

Comparison of alendronate and sodium fluoride effects on cancellous and cortical bone in minipigs. A one-year study. *M.-H. Lafage, R. Balena, M. A. Battle, M. Shea, J. G. Seedor, H. Klein, W. C. Hayes, and G. A. Rodan* 2127

Relation of myocardial oxygen consumption and function to high energy phosphate utilization during graded hypoxia and reoxygenation in sheep in vivo. *M. A. Portman, T. A. Standaert, and X.-H. Ning* 2134

Characterization of a protein cofactor that mediates protein kinase A regulation of the renal brush border membrane Na^+-H^+ exchanger. *E. J. Weinman, D. Steplock, Y. Wang, and S. Shenolikar* 2143

The rabbit pulmonary cytochrome P450 arachidonic acid metabolic pathway: characterization and significance. *D. C. Zeldin, J. D. Plitman, J. Kobayashi, R. F. Miller, J. R. Snapper, J. R. Falck, J. L. Szarek, R. M. Philpot, and J. H. Capdevila* 2150

Impaired activation of adipocyte lipolysis in familial combined hyperlipidemia. *S. Reynisdottir, M. Eriksson, B. Angelin, and P. Arner* 2161

Locus for the inducible, but not a constitutive, nitric oxide synthase cosegregates with blood pressure in the Dahl salt-sensitive rat. *A. Y. Deng and J. P. Rapp* 2170

VDIPEN, a metalloproteinase-generated neoepitope, is induced and immunolocalized in articular cartilage during inflammatory arthritis. *I. I. Singer, D. W. Kawka, E. K. Bayne, S. A. Donatelli, J. R. Weidner, H. R. Williams, J. M. Ayala, R. A. Mumford, M. W. Lark, T. T. Glant, G. H. Nabozny, and C. S. David* 2178

Mechanism of intestinal absorption. Effect of clonidine on rabbit ileal villus and crypt cells. *U. Sundaram* 2187

Insulin receptor phosphorylation, insulin receptor substrate-1 phosphorylation, and phosphatidylinositol 3-kinase activity are decreased in intact skeletal muscle strips from obese subjects. *L. J. Goodyear, F. Giorgino, L. A. Sherman, J. Carey, R. J. Smith, and G. L. Dohm* . . . 2195

Generation of a drug resistance profile by quantitation of *mdr*-1/P-glycoprotein in the cell lines of the National Cancer Institute Anticancer Drug Screen. *M. Alvarez, K. Paull, A. Monks, C. Hose, J.-S. Lee, J. Weinstein, M. Grever, S. Bates, and T. Fojo* 2205

1,25-dihydroxyvitamin D_3 and 12-*O*-tetradencanoyl phorbol 13-acetate cause differential activation of Ca^{2+}-dependent and Ca^{2+}-independent isoforms of protein kinase C in rat colonocytes. *M. Bissonnette, R. K. Wali, S. C. Hartmann, S. M. Niedziela, H. K. Roy, X.-Y. Tien, M. D. Sitrin, and T. A. Brasitus* 2215

Luminal endocytosis and intracellular targeting by acinar cells during early biliary pancreatitis in the opossum. *M. M. Lerch, A. K. Saluja, M. Rünzi, R. Dawra, and M. L. Steer* 2222

A noninvasive method to measure splanchnic glucose uptake after oral glucose administration. *B. Ludvik, J. J. Nolan, A. Roberts, J. Baloga, M. Joyce, J. M. Bell, and J. M. Olefsky* 2232

Demonstration of an in vivo functional β_3-adrenoceptor in man. *S. Enocksson, M. Shimizu, F. Lönnqvist, J. Nordenström, and P. Arner* 2239

Transgenic mice expressing high levels of human apolipoprotein B develop severe atherosclerotic lesions in response to a high-fat diet. *D. A. Purcell-Huynh, R. V. Farese, Jr., D. F. Johnson, L. M. Flynn, V. Pierotti, D. L. Newland, M. F. Linton, D. A. Sanan, and S. G. Young* 2246

Adaptation of the growth hormone and insulin-like growth factor-I axis to chronic and severe calorie or protein malnutrition. *M. H. Oster, P. J. Fielder, N. Levin, and M. J. Cronin* 2258

Apoptosis of human vascular smooth muscle cells derived from normal vessels and coronary atherosclerotic plaques. *M. R. Bennett, G. I. Evan, and S. M. Schwartz* 2266

Disappearance of cyclin A correlates with permanent withdrawal of cardiomyocytes from the cell cycle in human and rat hearts. *M. Yoshizumi, W.-S. Lee, C.-M. Hsieh, J.-C. Tsai, J. Li, M. A. Perrella, C. Patterson, W. O. Endege, R. Schlegel, and M.-E. Lee* 2275

The aged epidermal permeability barrier. Structural, functional, and lipid biochemical abnormalities in humans and a senescent murine model. *R. Ghadially, B. E. Brown, S. M. Sequeira-Martin, K. R. Feingold, and P. M. Elias* 2281

Water channels encoded by mutant aquaporin-2 genes in nephrogenic diabetes insipidus are impaired in their cellular routing. *P. M. T. Deen, H. Croes, R. A. M. H. van Aubel, L. A. Ginsel, and C. H. van Os* 2291

Monocyte tethering by P-selectin regulates monocyte chemotactic protein-1 and tumor necrosis factor-α secretion. Signal integration and NF-κB translocation. *A. S. Weyrich, T. M. McIntyre, R. P. McEver, S. M. Prescott, and G. A. Zimmerman* 2297

Conversion of amylase-secreting rat pancreatic AR42J cells to neuronlike cells by activin A. *H. Ohnishi, N. Ohgushi, S. Tanaka, H. Mogami, R. Nobusawa, H. Mashima, M. Furukawa, T. Mine, O. Shimada, H. Ishikawa, and I. Kojima* 2304

A synthetic tumor necrosis factor-α agonist peptide enhances human polymorphonuclear leukocyte-mediated killing of *Plasmodium falciparum* in vitro and suppresses *Plasmodium chabaudi* infection in mice. *L. M. Kumaratilake, D. A. Rathjen, P. Mack, F. Widmer, V. Prasertsiriroj, and A. Ferrante* 2315

Mycobacterium tuberculosis enhances human immunodeficiency virus-1 replication by transcriptional activation at the long terminal repeat. *Y. Zhang, K. Nakata, M. Weiden, and W. N. Rom* 2324

Vertebral size in elderly women with osteoporosis. Mechanical implications and relationship to fractures. *V. Gilsanz, M. L. Loro, T. F. Roe, J. Sayre, R. Gilsanz, and E. E. Schulz* 2332

Prevention of diabetic nephropathy in *db/db* mice with glycated albumin antagonists. A novel treatment strategy. *M. P. Cohen, K. Sharma, Y. Jin, E. Hud, V.-Y. Wu, J. Tomaszewski, and F. N. Ziyadeh* 2338

Differential expression and functional role of GATA-2, NF-E2, and GATA-1 in normal adult hematopoiesis. *C. Labbaye, M. Valtieri, T. Barberi, E. Meccia, B. Masella, E. Pelosi, G. L. Condorelli, U. Testa, and C. Peschle* 2346

Hypertonicity, but not hypothermia, elicits substance P release from rat C-fiber neurons in primary culture. *A. Garland, J. E. Jordan, J. Necheles, L. E. Alger, M. M. Scully, R. J. Miller, D. W. Ray, S. R. White, and J. Solway* 2359

Rapid Publications

Muscle protein waste in tumor-bearing rats is effectively antagonized by a β_2-adrenergic agonist (clenbuterol). Role of the ATP-ubiquitin-dependent proteolytic pathway. *P. Costelli, C. García-Martínez, M. Llovera, N. Carbó, F. J. López-Soriano, N. Agell, L. Tessitore, F. M. Baccino, and J. M. Argilés* 2367

A mutation in *FBN1* disrupts profibrillin processing and results in isolated skeletal features of the Marfan syndrome. *D. M. Milewicz, J. Grossfield, S.-N. Cao, C. Kielty, W. Covitz, and T. Jewett* 2373

Modulation of skeletal muscle sodium channels by human myotonin protein kinase. *J. P. Mounsey, P. Xu, J. E. John III, L. T. Horne, J. Gilbert, A. D. Roses, and J. R. Moorman* 2379

All-*trans*-retinoic acid stimulates synthesis of cyclic ADP-ribose in renal LLC-PK_1 cells. *K. W. Beers, E. N. Chini, and T. P. Dousa* 2385

The detection and localization of monocyte chemoattractant protein-1 (MCP-1) in human ovarian cancer. *R. P. M. Negus, G. W. H. Stamp, M. G. Relf, F. Burke, S. T. A. Malik, S. Bernasconi, P. Allavena, S. Sozzani, A. Mantovani, and F. R. Balkwill* 2391

A major histocompatibility complex class I–related Fc receptor for IgG on rat hepatocytes. *R. S. Blumberg, T. Koss, C. M. Story, D. Barisani, J. Polischuk, A. Lipin, L. Pablo, R. Green, and N. E. Simister* 2397

Glucose modulates rat substantia nigra GABA release in vivo via ATP-sensitive potassium channels. *M. J. During, P. Leone, K. E. Davis, D. Kerr, and R. S. Sherwin* 2403

Increased adipose tissue expression of tumor necrosis factor-α in human obesity and insulin resistance. *G. S. Hotamisligil, P. Arner, J. F. Caro, R. L. Atkinson, and B. M. Spiegelman* 2409

Peptide-mediated inactivation of recombinant and platelet plasminogen activator inhibitor-1 in vitro. *D. T. Eitzman, W. P. Fay, D. A. Lawrence, A. M. Francis-Chmura, J. D. Shore, S. T. Olson, and D. Ginsburg* . . . 2416

May Author Index 2421

Contents

The Journal of Clinical Investigation
June 1995, Volume 95, Number 6

Editorials

Amphotropic but not atherotropic: another caveat for adenoviral gene therapy. *W. Casscells and J. T. Willerson* 2425

Weighing in on the lean genes. *J. M. Olefsky* 2427

The CD28/CTLA-4:B7 receptor system in experimental autoimmune encephalomyelitis. *P. S. Linsley* 2429

What's potentially more effective than a roto-rooter and less toxic than drano? Anti-adhesion mimetics! *C. A. Buck* 2431

Predicting PTH pulses and patterns in osteoporosis. *L. J. Deftos and S. J. Schiff* 2433

Regular Articles

Glucocorticoid receptor β, a potential endogenous inhibitor of glucocorticoid action in humans. *C. M. Bamberger, A.-M. Bamberger, M. de Castro, and G. P. Chrousos* 2435

Expression and differential regulation of natriuretic peptides in mouse macrophages. *A. M. Vollmar and R. Schulz* 2442

Receptors for atrial natriuretic peptide are decreased in the kidney of rats with streptozotocin-induced diabetes mellitus. *L. A. Sechi, J.-P. Valentin, C. A. Griffin, E. Lee, E. Bartoli, M. H. Humphreys, and M. Schambelan* 2451

Induction of apoptosis in catecholaminergic PC12 cells by L-DOPA. Implications for the treatment of Parkinson's disease. *G. Walkinshaw and C. M. Waters* 2458

Purification of human very-long-chain acyl-coenzyme A dehydrogenase and characterization of its deficiency in seven patients. *T. Aoyama, M. Souri, S. Ushikubo, T. Kamijo, S. Yamaguchi, R. I. Kelley, W. J. Rhead, K. Uetake, K. Tanaka, and T. Hashimoto* 2465

Suppression of endothelin-1-induced mitogenic responses of human aortic smooth muscle cells by interleukin-1β. *Y. Fujitani, H. Ninomiya, T. Okada, Y. Urade, and T. Masaki* 2474

Tissue plasminogen activator (tPA) inhibits plasmin degradation of fibrin. A mechanism that slows tPA-mediated fibrinolysis but does not require α_2-antiplasmin or leakage of intrinsic plasminogen. *J. H. Wu and S. L. Diamond* 2483

Protease-cleaved iron-transferrin augments oxidant-mediated endothelial cell injury via hydroxyl radical formation. *R. A. Miller and B. E. Britigan* 2491

Oral vanadyl sulfate improves hepatic and peripheral insulin sensitivity in patients with non–insulin-dependent diabetes mellitus. *N. Cohen, M. Halberstam, P. Shlimovich, C. J. Chang, H. Shamoon, and L. Rossetti* 2501

Therapeutic potential of inhibiting leukocyte rolling in ischemia/reperfusion. *P. Kubes, M. Jutila, and D. Payne* 2510

Dietary probucol preserves endothelial function in cholesterol-fed rabbits by limiting vascular oxidative stress and superoxide generation. *J. F. Keaney, Jr., A. Xu, D. Cunningham, T. Jackson, B. Frei, and J. A. Vita* 2520

c-KIT expression enhances the leukemogenic potential of 32D cells. *Q. Hu, M. Trevisan, Y. Xu, W. Dong, S. A. Berger, S. D. Lyman, and M. D. Minden* 2530

Specific binding of endocrine transforming growth factor-β1 to vascular endothelium. *K. Dickson, A. Philip, H. Warshawsky, M. O'Connor-McCourt, and J. J. M. Bergeron* 2539

Interleukin-1β induces cardiac myocyte growth but inhibits cardiac fibroblast proliferation in culture. *J. N. Palmer, W. E. Hartogensis, M. Patten, F. D. Fortuin, and C. S. Long* 2555

Interactions between L-arginine and L-glutamine change endothelial NO production. An effect independent of NO synthase substrate availability. *J.-F. Arnal, T. Münzel, R. C. Venema, N. L. James, C.-l. Bai, W. E. Mitch, and D. G. Harrison* 2565

KCl cotransport activity in light versus dense transferrin receptor-positive sickle reticulocytes. *R. S. Franco, M. Palascak, H. Thompson, and C. H. Joiner* 2573

Role of hyperbilirubinemia in the impairment of osteoblast proliferation associated with cholestatic jaundice. *C. H. Janes, E. R. Dickson, R. Okazaki, S. Bonde, A. F. McDonagh, and B. L. Riggs* 2581

Adoptive transfer of lymphocytes sensitized to the major surface glycoprotein of *Pneumocystis carinii* confers protection in the rat. *S. A. Theus, R. P. Andrews, P. Steele, and P. D. Walzer* 2587

Paradoxical actions of antioxidants in the oxidation of low density lipoprotein by peroxidases. *N. Santanam and S. Parthasarathy* 2594

Blockade of very late antigen-4 intergrin binding to fibronectin with connecting segment-1 peptide reduces accelerated coronary artheriopathy in rabbit cardiac allografts. *S. Molossi, M. Elices, T. Arrhenius, R. Diaz, C. Coulber, and M. Rabinovitch* 2601

Malondialdehyde-modified low density lipoproteins in patients with atherosclerotic disease. *P. Holvoet, G. Perez, Z. Zhao, E. Brouwers, H. Bernar, and D. Collen* 2611

Adenoviral-mediated gene transfer to fetal pulmonary epithelia in vitro and in vivo. *P. B. McCray, Jr., K. Armstrong, J. Zabner, D. W. Miller, G. A. Koretzky, L. Couture, J. E. Robillard, A. E. Smith, and M. J. Welsh* 2620

Protooncogene *bcl*-2 gene transfer abrogates fas/APO-1 antibody-mediated apoptosis of human malignant glioma cells and confers resistance to chemotherapeutic drugs and therapeutic irradiation. *M. Weller, U. Malipiero, A. Aguzzi, J. C. Reed, and A. Fontana* 2633

Interleukin-10 inhibits antigen-induced cellular recruitment into the airways of sensitized mice. *C. Zuany-Amorium, S. Hailé, D. Leduc, C. Dumarey, M. Huerre, B. B. Vargaftig, and M. Pretolani* 2644

Overexpression of hormone-sensitive lipase prevents triglyceride accumulation in adipocytes. *C. Sztalryd, M. C. Komaromy, and F. B. Kraemer* 2652

Low-efficiency of percutaneous adenovirus-mediated arterial gene transfer in the atherosclerotic rabbit. *L. J. Feldman, P. G. Steg, L. P. Zheng, D. Chen, M. Kearney, S. E. McGarr, J. J. Barry, J.-F. Dedieu, M. Perricaudet, and J. M. Isner* 2662

The antiperinuclear factor and the so-called antikeratin antibodies are the same rheumatoid arthritis-specific autoantibodies. *M. Sebbag, M. Simon, C. Vincent, C. Masson-Bessière, E. Girbal, J.-J. Durieux, and G. Serre* 2672

Expression of two human skeletal calcitonin receptor isoforms cloned from a giant cell tumor of bone. The first intracellular domain modulates ligand binding and signal transduction. *A. H. Gorn, S. M. Rudolph, M. R. Flannery, C. C. Morton, S. Weremowicz, J.-T. Wang, S. M. Krane, and S. R. Goldring* 2680

Transfer of 15-lipoxygenase gene into rabbit lliac arteries results in the appearance of oxidation-specific lipid-protein adducts characteristic of oxidized low density lipoprotein. *S. Ylä-Herttuala, J. Luoma, H. Viita, T. Hiltunen, T. Sisto, and T. Nikkari* 2692

Surfactant protein D interacts with *Pneumocystis carinii* and mediates organism adherence to alveolar macrophages. *D. M. O'Riordan, J. E. Standing, K.-Y. Kwon, D. Chang, E. C. Crouch, and A. H. Limper* 2699

Inhibition of T cell responses by activated human CD8+ T cells is mediated by interferon-γ and is defective in chronic progressive multiple sclerosis. *K. E. Balashov, S. J. Khoury, D. A. Hafler, and H. L. Weiner* 2711

Neutrophil chemoattractants generated in two phases during reperfusion of ischemic myocardium in the rabbit. Evidence for a role for C5a and interleukin-8. *C. L. Ivey, F. M. Williams, P. D. Collins, P. J. Jose, and T. J. Williams* 2720

Stimulatory effect of inflammatory cytokines on α_1-antichymotrypsin expression in human lung-derived epithelial cells. *J. Cichy, J. Potempa, R. K. Chawla, and J. Travis* 2729

Prostaglandin E_2 abrogates endothelin-induced vasoconstriction in renal outer medullary descending vasa recta of the rat. *E. P. Silldorff, S. Yang, and T. L. Pallone* 2734

Flow modulates myogenic responses in isolated microperfused rabbit afferent arterioles via endothelium-derived nitric oxide. *L. A. Juncos, J. Garvin, O. A. Carretero, and S. Ito* 2741

Antisense DNA down-regulates protein kinase C-ε and enhances vasopressin-stimulated Na^+ absorption in rabbit cortical collecting duct. *D. L. DeCoy, J. R. Snapper, and M. D. Breyer* 2749

The role of cadherin in the generation of multinucleated osteoclasts from mononuclear precursors in murine marrow. *G. Mbalaviele, H. Chen, B. F. Boyce, G. R. Mundy, and T. Yoneda* 2757

Glycolytic inhibition: effects on diastolic relaxation and intracellular calcium handling in hypertrophied rat ventricular myocytes. *Y. Kagaya, E. O. Weinberg, N. Ito, T. Mochizuki, W. H. Barry, and B. H. Lorell* . . 2766

2′3′-dideoxycytidine-induced thymic lymphoma correlates with species-specific suppression of a subpopulation of primitive hematopoietic progenitor cells in mouse but not rat or human bone marrow. *R. D. Irons, A. T. Le, D. B. Som, and W. S. Stillman* 2777

Long-term inhibition of murine experimental autoimmune encephalomyelitis. Using CTLA-4-Fc supports a key role for CD28 costimulation. *A. H. Cross, T. J. Girard, K. S. Giacoletto, R. J. Evans, R. M. Keeling, R. F. Lin, J. L. Trotter, and R. W. Karr* 2783

The effect of surgical bowel manipulation and anesthesia on intestinal glucose absorption in rats. *M. R. Uhing and R. E. Kimura* 2790

Active transport of 3-*O*-Methyl-glucose by the small intestine in chronically catheterized rats. *M. R. Uhing and R. E. Kimura* 2799

Increased abundance of the receptor-type protein-tyrosine phosphatase LAR accounts for the elevated insulin receptor dephosphorylating activity in adipose tissue of obese human subjects. *F. Ahmad, R. V. Considine, and B. J. Goldstein* 2806

Allergen-specific IgG1 and IgG3 through $Fc_\gamma RII$ induce eosinophil degranulation. *M. Kaneko, M. C. Swanson, G. J. Gleich, and H. Kita* . . 2813

The neurotensin gene is a downstream target for ras activation. *B. M. Evers, Z. Zhou, P. Celano, and J. Li* 2822

Mast cells and histamine contribute to bile acid–stimulated secretion in the mouse colon. *C. M. Gelbmann, C. D. Schteingart, S. M. Thompson, A. F. Hofmann, and K. E. Barrett* 2831

Heat shock induces resistance in rat pancreatic islet cells against nitric oxide, oxygen radicals and streptozotocin toxicity in vitro. *K. Bellmann, A. Wenz, J. Radons, V. Burkart, R. Kleemann, and H. Kolb* 2840

Interleukin-6 enhances hypercalcemia and bone resorption mediated by parathyroid hormone-related protein in vivo. *J. De La Mata, H. L. Uy, T. A. Guise, B. Story, B. F. Boyce, G. R. Mundy, and G. D. Roodman* . . 2846

Shigella Enterotoxin 1: an enterotoxin of *Shigella flexneri* 2a active in rabbit small intestine in vivo and in vitro. *A. Fasano, F. R. Noriega, D. R. Maneval, Jr., S. Chanasongcram, R. Russell, S. Guandalini, and M. M. Levine* 2853

Regulation of rat mesangial cell growth by diadenosine phosphates. *S. Heidenreich, M. Tepel, H. Schlüter, B. Harrach, and W. Zidek* . . . 2862

Interleukin-10 expression and chemokine regulation during the evolution of murine type II collagen-induced arthritis. *T. Kasama, R. M. Strieter, N. W. Lukacs, P. M. Lincoln, M. D. Burdick, and S. L. Kunkel* 2868

$Fc\gamma$ receptor IIIb enhances $Fc\gamma$ receptor IIa function in an oxidant-dependent and allele-sensitive manner. *J. E. Salmon, S. S. Millard, N. L. Brogle, and R. P. Kimberly* 2877

Regulation of interleukin-6, osteoclastogenesis, and bone mass by androgens. The role of the androgen receptor. *T. Bellido, R. L. Jilka, B. F. Boyce, G. Girasole, H. Broxmeyer, S. A. Dalrymple, R. Murray, and S. C. Manolagas* 2886

Nonadrenal epinephrine-forming enzymes in humans. Characteristics, distribution, regulation, and relationship to epinephrine levels. *B. Kennedy, T. D. Bigby, and M. G. Ziegler* 2896

Glucosylceramides stimulate murine epidermal hyperproliferation. *N. L. Marsh, P. M. Elias, and W. M. Holleran* 2903

Time series prediction of plasma hormone concentration. Evidence for differences in predictability of parathyroid hormone secretion between osteoporotic patients and normal controls. *K. Prank, S. J. Nowlan, H. M. Harms, M. Kloppstech, G. Brabant, R.-D. Hesch, and T. J. Sejnowski* 2910

Association between maternal antibodies to the external envelope glycoprotein and vertical transmission of human T-lymphotropic virus type I. Maternal anti-env antibodies correlate with protection in non–breast-fed children. *S. Hino, S. Katamine, T. Miyamoto, H. Doi, Y. Tsuji, T. Yamabe, J. E. Kaplan, D. L. Rudolph, and R. B. Lal* 2920

Protein dynamics in whole body and in splanchnic and leg tissues in type I diabetic patients. *K. S. Nair, G. C. Ford, K. Ekberg, E. Fernqvist-Forbes, and J. Wahren* 2926

Protein kinase C is increased in the liver of humans and rats with non–insulin-dependent diabetes mellitus: an alteration not due to hyperglycemia. *R. V. Considine, M. R. Nyce, L. E. Allen, L. M. Morales, S. Triester, J. Serrano, J. Colberg, S. Lanza-Jacoby, and J. F. Caro* . . 2938

Interleukin 7 is produced by human intestinal epithelial cells and regulates the proliferation of intestinal mucosal lymphocytes. *M. Watanabe, Y. Ueno, T. Yajima, Y. Iwao, M. Tsuchiya, H. Ishikawa, S. Aiso, T. Hibi, and H. Ishii* 2945

Cloning and characterization of allograft inflammatory factor-1: a novel macrophage factor identified in rat cardiac allografts with chronic rejection. *U. Utans, R. J. Arceci, Y. Yamashita, and M. E. Russell* . . . 2954

Proliferation and differentiation of fetal rat pulmonary epithelium in the absence of mesenchyme. *R. R. Deterding and J. M. Shannon* 2963

Rapid Publications

Megakaryocyte growth and development factor. Analyses of in vitro effects on human megakaryopoiesis and endogenous serum levels during chemotherapy-induced thrombocytopenia. *J. L. Nichol, M. M. Hokom, A. Hornkohl, W. P. Sheridan, H. Ohashi, T. Kato, Y. S. Li, T. D. Bartley, E. Choi, J. Bogenberger, J. D. Skrine, A. Knudten, J. Chen, G. Trail, L. Sleeman, S. Cole, G. Grampp, and P. Hunt* 2973

In vivo activity and in vitro specificity of $CD4^+$ Th1 and Th2 cells derived from the spleens of diabetic NOD mice. *D. Healey, P. Ozegbe, S. Arden, P. Chandler, J. Hutton, and A. Cooke* 2979

Evidence against either a premature stop codon or the absence of obese gene mRNA in human obesity. *R. V. Considine, E. L. Considine, C. J. Williams, M. R. Nyce, S. A. Magosin, T. L. Bauer, E. L. Rosato, J. Colberg, and J. F. Caro* 2986

June Author Index 2989

Correction 2991

Author Index to Volume 95 2993

Prostaglandin E_2 abrogates endothelin-induced vasoconstriction in renal outer medullary descending vasa recta of the rat. *E. P. Silldorff, S. Yang, and T. L. Pallone* 2734

Antisense DNA down-regulates protein kinase C-ϵ and enhances vasopressin-stimulated Na^+ absorption in rabbit cortical collecting duct. *D. L. DeCoy, J. R. Snapper, and M. D. Breyer* 2749

2′3′-dideoxycytidine-induced thymic lymphoma correlates with species-specific suppression of a subpopulation of primitive hematopoietic progenitor cells in mouse but not rat or human bone marrow. *R. D. Irons, A. T. Le, D. B. Som, and W. S. Stillman* 2777

Increased abundance of the receptor-type protein-tyrosine phosphatase LAR accounts for the elevated insulin receptor dephosphorylating activity in adipose tissue of obese human subjects. *F. Ahmad, R. V. Considine, and B. J. Goldstein* 2806

Interleukin-6 enhances hypercalcemia and bone resorption mediated by parathyroid hormone-related protein in vivo. *J. De La Mata, H. L. Uy, T. A. Guise, B. Story, B. F. Boyce, G. R. Mundy, and G. D. Roodman* . . 2846

Regulation of interleukin-6, osteoclastogenesis, and bone mass by androgens. The role of the androgen receptor. *T. Bellido, R. L. Jilka, B. F. Boyce, G. Girasole, H. Broxmeyer, S. A. Dalrymple, R. Murray, and S. C. Manolagas* 2886

Nonadrenal epinephrine-forming enzymes in humans. Characteristics, distribution, regulation, and relationship to epinephrine levels. *B. Kennedy, T. D. Bigby, and M. G. Ziegler* 2896

Time series prediction of plasma hormone concentration. Evidence for differences in predictability of parathyroid hormone secretion between osteoporotic patients and normal controls. *K. Prank, S. J. Nowlan, H. M. Harms, M. Kloppstech, G. Brabant, R.-D. Hesch, and T. J. Sejnowski* 2910

Protein kinase C is increased in the liver of humans and rats with non–insulin-dependent diabetes mellitus: an alteration not due to hyperglycemia. *R. V. Considine, M. R. Nyce, L. E. Allen, L. M. Morales, S. Triester, J. Serrano, J. Colberg, S. Lanza-Jacoby, and J. F. Caro* . . 2938

Interleukin 7 is produced by human intestinal epithelial cells and regulates the proliferation of intestinal mucosal lymphocytes. *M. Watanabe, Y. Ueno, T. Yajima, Y. Iwao, M. Tsuchiya, H. Ishikawa, S. Aiso, T. Hibi, and H. Ishii* 2945

■ Cell Growth and Differentiation

Interleukin-1β induces cardiac myocyte growth but inhibits cardiac fibroblast proliferation in culture. *J. N. Palmer, W. E. Hartogensis, M. Patten, F. D. Fortuin, and C. S. Long* 2555

Overexpression of hormone-sensitive lipase prevents triglyceride accumulation in adipocytes. *C. Sztalryd, M. C. Komaromy, and F. B. Kraemer* 2652

The role of cadherin in the generation of multinucleated osteoclasts from mononuclear precursors in murine marrow. *G. Mbalaviele, H. Chen, B. F. Boyce, G. R. Mundy, and T. Yoneda* 2757

The neurotensin gene is a downstream target for ras activation. *B. M. Evers, Z. Zhou, P. Celano, and J. Li* 2822

Regulation of rat mesangial cell growth by diadenosine phosphates. *S. Heidenreich, M. Tepel, H. Schlüter, B. Harrach, and W. Zidek* . . . 2862

Glucosylceramides stimulate murine epidermal hyperproliferation. *N. L. Marsh, P. M. Elias, and W. M. Holleran* 2903

Proliferation and differentiation of fetal rat pulmonary epithelium in the absence of mesenchyme. *R. R. Deterding and J. M. Shannon* 2963

* Megakaryocyte growth and development factor. Analyses of in vitro effects on human megakaryopoiesis and endogenous serum levels during chemotherapy-induced thrombocytopenia. *J. L. Nichol, M. M. Hokom, A. Hornkohl, W. P. Sheridan, H. Ohashi, T. Kato, Y. S. Li, T. D. Bartley, E. Choi, J. Bogenberger, J. D. Skrine, A. Knudten, J. Chen, G. Trail, L. Sleeman, S. Cole, G. Grampp, and P. Hunt* 2973

■ Cellular Transport and Organ Physiology

Interactions between L-arginine and L-glutamine change endothelial NO production. An effect independent of NO synthase substrate availability. *J.-F. Arnal, T. Münzel, R. C. Venema, N. L. James, C.-l. Bai, W. E. Mitch, and D. G. Harrison* 2565

KCl cotransport activity in light versus dense transferrin receptor-positive sickle reticulocytes. *R. S. Franco, M. Palascak, H. Thompson, and C. H. Joiner* 2573

Role of hyperbilirubinemia in the impairment of osteoblast proliferation associated with cholestatic jaundice. *C. H. Janes, E. R. Dickson, R. Okazaki, S. Bonde, A. F. McDonagh, and B. L. Riggs* 2581

Flow modulates myogenic responses in isolated microperfused rabbit afferent arterioles via endothelium-derived nitric oxide. *L. A. Juncos, J. Garvin, O. A. Carretero, and S. Ito* 2741

Glycolytic inhibition: effects on diastolic relaxation and intracellular calcium handling in hypertrophied rat ventricular myocytes. *Y. Kagaya, E. O. Weinberg, N. Ito, T. Mochizuki, W. H. Barry, and B. H. Lorell* . . 2766

The effect of surgical bowel manipulation and anesthesia on intestinal glucose absorption in rats. *M. R. Uhing and R. E. Kimura* 2790

Active transport of 3-*O*-Methyl-glucose by the small intestine in chronically catheterized rats. *M. R. Uhing and R. E. Kimura* 2799

Mast cells and histamine contribute to bile acid–stimulated secretion in the mouse colon. *C. M. Gelbmann, C. D. Schteingart, S. M. Thompson, A. F. Hofmann, and K. E. Barrett* 2831

■ Atherosclerosis / Thrombosis / Metabolism

Tissue plasminogen activator (tPA) inhibits plasmin degradation of fibrin. A mechanism that slows tPA-mediated fibrinolysis but does not require α_2-antiplasmin or leakage of intrinsic plasminogen. *J. H. Wu and S. L. Diamond* 2483

Oral vanadyl sulfate improves hepatic and peripheral insulin sensitivity in patients with non–insulin-dependent diabetes mellitus. *N. Cohen, M. Halberstam, P. Shlimovich, C. J. Chang, H. Shamoon, and L. Rossetti* 2501

Dietary probucol preserves endothelial function in cholesterol-fed rabbits by limiting vascular oxidative stress and superoxide generation. *J. F. Keaney, Jr., A. Xu, D. Cunningham, T. Jackson, B. Frei, and J. A. Vita* 2520

Paradoxical actions of antioxidants in the oxidation of low density lipoprotein by peroxidases. *N. Santanam and S. Parthasarathy* 2594

Malondialdehyde-modified low density lipoproteins in patients with atherosclerotic disease. *P. Holvoet, G. Perez, Z. Zhao, E. Brouwers, H. Bernar, and D. Collen* 2611

Low-efficiency of percutaneous adenovirus-mediated arterial gene transfer in the atherosclerotic rabbit. *L. J. Feldman, P. G. Steg, L. P. Zheng, D. Chen, M. Kearney, S. E. McGarr, J. J. Barry, J.-F. Dedieu, M. Perricaudet, and J. M. Isner* 2662

Transfer of 15-lipoxygenase gene into rabbit Iliac arteries results in the appearance of oxidation-specific lipid-protein adducts characteristic of oxidized low density lipoprotein. *S. Ylä-Herttuala, J. Luoma, H. Viita, T. Hiltunen, T. Sisto, and T. Nikkari* 2692

Protein dynamics in whole body and in splanchnic and leg tissues in type I diabetic patients. *K. S. Nair, G. C. Ford, K. Ekberg, E. Fernqvist-Forbes, and J. Wahren* 2926

June Author Index 2989

Correction 2991

Author Index to Volume 95 2993

* Rapid Publication

Cover picture: Representative photomicrographs of Movat pentachrome staining of small coronary arteries from rabbit cardiac allografts after heterotopic transplantation. Note in *A* the severe intimal lesion with a fragmented internal elastic lamina and almost complete obstruction of the vessel lumen as observed in a control rabbit treated with a scrambled (inactive) peptide, compared with *B*, a coronary artery where the intimal lesion is minimal and barely apparent, as observed in an animal treated with the active CS-1 peptide (a derivative of the CS-1 region of fibronectin and a VLA-4 inhibitor). See related article in this issue by Molossi, S., M. Elices, T. Arrhenius, R. Diaz, C. Coulber, and M. Rabinovitch, pp. 2601–2610.

Contents

The Journal of Clinical Investigation
June 1995, Volume 95, Number 6

Editorials

Amphotropic but not atherotropic: another caveat for adenoviral gene therapy. *W. Casscells and J. T. Willerson* 2425

Weighing in on the lean genes. *J. M. Olefsky* 2427

The CD28/CTLA-4:B7 receptor system in experimental autoimmune encephalomyelitis. *P. S. Linsley* 2429

What's potentially more effective than a roto-rooter and less toxic than drano? Anti-adhesion mimetics! *C. A. Buck* 2431

Predicting PTH pulses and patterns in osteoporosis. *L. J. Deftos and S. J. Schiff* 2433

■ Molecular Medicine / Genetic Disorders

Induction of apoptosis in catecholaminergic PC12 cells by L-DOPA. Implications for the treatment of Parkinson's disease. *G. Walkinshaw and C. M. Waters* 2458

Purification of human very-long-chain acyl-coenzyme A dehydrogenase and characterization of its deficiency in seven patients. *T. Aoyama, M. Souri, S. Ushikubo, T. Kamijo, S. Yamaguchi, R. I. Kelley, W. J. Rhead, K. Uetake, K. Tanaka, and T. Hashimoto* 2465

Adenoviral-mediated gene transfer to fetal pulmonary epithelia in vitro and in vivo. *P. B. McCray, Jr., K. Armstrong, J. Zabner, D. W. Miller, G. A. Koretzky, L. Couture, J. E. Robillard, A. E. Smith, and M. J. Welsh* 2620

* Evidence against either a premature stop codon or the absence of obese gene mRNA in human obesity. *R. V. Considine, E. L. Considine, C. J. Williams, M. R. Nyce, S. A. Magosin, T. L. Bauer, E. L. Rosato, J. Colberg, and J. F. Caro* 2986

■ Infection / Inflammation / Immunity

Protease-cleaved iron-transferrin augments oxidant-mediated endothelial cell injury via hydroxyl radical formation. *R. A. Miller and B. E. Britigan* 2491

Therapeutic potential of inhibiting leukocyte rolling in ischemia/reperfusion. *P. Kubes, M. Jutila, and D. Payne* 2510

Adoptive transfer of lymphocytes sensitized to the major surface glycoprotein of *Pneumocystis carinii* confers protection in the rat. *S. A. Theus, R. P. Andrews, P. Steele, and P. D. Walzer* 2587

Blockade of very late antigen-4 intergrin binding to fibronectin with connecting segment-1 peptide reduces accelerated coronary artheriopathy in rabbit cardiac allografts. *S. Molossi, M. Elices, T. Arrhenius, R. Diaz, C. Coulber, and M. Rabinovitch* 2601

The antiperinuclear factor and the so-called antikeratin antibodies are the same rheumatoid arthritis-specific autoantibodies. *M. Sebbag, M. Simon, C. Vincent, C. Masson-Bessière, E. Girbal, J.-J. Durieux, and G. Serre* 2672

Surfactant protein D interacts with *Pneumocystis carinii* and mediates organism adherence to alveolar macrophages. *D. M. O'Riordan, J. E. Standing, K.-Y. Kwon, D. Chang, E. C. Crouch, and A. H. Limper* 2699

Inhibition of T cell responses by activated human CD8+ T cells is mediated by interferon-γ and is defective in chronic progressive multiple sclerosis. *K. E. Balashov, S. J. Khoury, D. A. Hafler, and H. L. Weiner* 2711

Stimulatory effect of inflammatory cytokines on α_1-antichymotrypsin expression in human lung-derived epithelial cells. *J. Cichy, J. Potempa, R. K. Chawla, and J. Travis* 2729

Long-term inhibition of murine experimental autoimmune encephalomyelitis. Using CTLA-4-Fc supports a key role for CD28 costimulation. *A. H. Cross, T. J. Girard, K. S. Giacoletto, R. J. Evans, E. M. Keeling, R. F. Lin, J. L. Trotter, and R. W. Karr* 2783

Allergen-specific IgG1 and IgG3 through $Fc_\gamma RII$ induce eosinophil degranulation. *M. Kaneko, M. C. Swanson, G. J. Gleich, and H. Kita* . . 2813

Heat shock induces resistance in rat pancreatic islet cells against nitric oxide, oxygen radicals and streptozotocin toxicity in vitro. *K. Bellmann, A. Wenz, J. Radons, V. Burkart, R. Kleemann, and H. Kolb* 2840

Shigella Enterotoxin 1: an enterotoxin of *Shigella flexneri* 2a active in rabbit small intestine in vivo and in vitro. *A. Fasano, F. R. Noriega, D. R. Maneval, Jr., S. Chanasongcram, R. Russell, S. Guandalini, and M. M. Levine* 2853

Interleukin-10 expression and chemokine regulation during the evolution of murine type II collagen-induced arthritis. *T. Kasama, R. M. Strieter, N. W. Lukacs, P. M. Lincoln, M. D. Burdick, and S. L. Kunkel* 2868

Fcγ receptor IIIb enhances Fcγ receptor IIa function in an oxidant-dependent and allele-sensitive manner. *J. E. Salmon, S. S. Millard, N. L. Brogle, and R. P. Kimberly* 2877

Association between maternal antibodies to the external envelope glycoprotein and vertical transmission of human T-lymphotropic virus type I. Maternal anti-env antibodies correlate with protection in non–breast-fed children. *S. Hino, S. Katamine, T. Miyamoto, H. Doi, Y. Tsuji, T. Yamabe, J. E. Kaplan, D. L. Rudolph, and R. B. Lal* 2920

Cloning and characterization of allograft inflammatory factor-1: a novel macrophage factor identified in rat cardiac allografts with chronic rejection. *U. Utans, R. J. Arceci, Y. Yamashita, and M. E. Russell* . . . 2954

* In vivo activity and in vitro specificity of $CD4^+$ Th1 and Th2 cells derived from the spleens of diabetic NOD mice. *D. Healey, P. Ozegbe, S. Arden, P. Chandler, J. Hutton, and A. Cooke* 2979

■ Hormones / Cytokines / Signaling

Glucocorticoid receptor β, a potential endogenous inhibitor of glucocorticoid action in humans. *C. M. Bamberger, A.-M. Bamberger, M. de Castro, and G. P. Chrousos* 2435

Expression and differential regulation of natriuretic peptides in mouse macrophages. *A. M. Vollmar and R. Schulz* 2442

Receptors for atrial natriuretic peptide are decreased in the kidney of rats with streptozotocin-induced diabetes mellitus. *L. A. Sechi, J.-P. Valentin, C. A. Griffin, E. Lee, E. Bartoli, M. H. Humphreys, and M. Schambelan* 2451

Suppression of endothelin-1-induced mitogenic responses of human aortic smooth muscle cells by interleukin-1β. *Y. Fujitani, H. Ninomiya, T. Okada, Y. Urade, and T. Masaki* 2474

c-KIT expression enhances the leukemogenic potential of 32D cells. *Q. Hu, M. Trevisan, Y. Xu, W. Dong, S. A. Berger, S. D. Lyman, and M. D. Minden* 2530

Specific binding of endocrine transforming growth factor-β1 to vascular endothelium. *K. Dickson, A. Philip, H. Warshawsky, M. O'Connor-McCourt, and J. J. M. Bergeron* 2539

Protooncogene *bcl*-2 gene transfer abrogates fas/APO-1 antibody-mediated apoptosis of human malignant glioma cells and confers resistance to chemotherapeutic drugs and therapeutic irradiation. *M. Weller, U. Malipiero, A. Aguzzi, J. C. Reed, and A. Fontana* 2633

Interleukin-10 inhibits antigen-induced cellular recruitment into the airways of sensitized mice. *C. Zuany-Amorium, S. Hailé, D. Leduc, C. Dumarey, M. Huerre, B. B. Vargaftig, and M. Pretolani* 2644

Expression of two human skeletal calcitonin receptor isoforms cloned from a giant cell tumor of bone. The first intracellular domain modulates ligand binding and signal transduction. *A. H. Gorn, S. M. Rudolph, M. R. Flannery, C. C. Morton, S. Weremowicz, J.-T. Wang, S. M. Krane, and S. R. Goldring* 2680

Neutrophil chemoattractants generated in two phases during reperfusion of ischemic myocardium in the rabbit. Evidence for a role for C5a and interleukin-8. *C. L. Ivey, F. M. Williams, P. D. Collins, P. J. Jose, and T. J. Williams* 2720

(continued on the reverse side of this cover)

JCINAO 95(6) 2425–3030 (1995)